



Head Office: Sen. Gil J. Puyat Avenue corner Makati Avenue, Makati City, Philippines

SUPPLEMENTAL BID BULLETIN NO. 2

4 December 2024

Attention: All prospective bidders for the project

BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES - REBID

(ABC: PhP 7,816,400.00 inclusive of all applicable taxes)

Please be informed of the following:

The schedule of submission and opening of bids shall proceed as follows:

ACTIVITY			DATE AND TIME	VENUE	
Submission of Eligibility, Technical, and Financial Proposals*			11 December 2024 (Wednesday) ON OR BEFORE 11:00 AM	6/F BAC Secretariat, DBP Head Office, Makati City	
Opening of Eligibility, Technical, and Financial Proposals			11 December 2024 (Wednesday) 1:00 PM	12/F Suite 5, DBP Head Office Makati City or via Zoom Meeting	

^{*}Late submissions shall not be accepted.

2. Please refer to Section III. Bid Data Sheet (BDS) of the Philippine Bidding Documents for the detailed procedure and options for the payment of bidding documents and the submission of bids. As indicated in the Invitation to Bid, bidders must settle the required payment for the bidding documents before the deadline of the submission and receipt of bids.

Additionally, bidders are encouraged to submit their bid proposals at least one day prior to the deadline to avoid late submissions. Bidders may attend the bid opening through Zoom Meeting App.











3. Response to the queries or requests for clarification:

Queries	Responses
Can the bidder submit a Single Purchase Order amounting to atleast 50% of the contract composed of CCTV surveillance, biometric	Yes. The definition of similar contract is hereby revised as follows:
access, and anti-intrusion burglar alarm system AND not only for CCTV surveillance. Since the project being Bid consists of supply, delivery, and installation of CCTV surveillance, biometric access, and an anti-intrusion burglar alarm system which also stated in form 4.	"The Supplier must have completed a single contract of similar nature within the last five (5) years, equivalent to at least fifty percent (50%) of the ABC of this project. "Similar Contract" shall mean Supply, Delivery and Installation of CCTV Surveillance System and/or biometric access, and anti-intrusion burglar alarm system."
	Please refer to the Revised Scope of Services/Terms of Reference per Revised FORM 10 as attached in this Supplemental Bid Bulletin No. 2 dated 4 December 2024

 Revision on the Scope of Services/Terms of Reference (Please see Revised FORM 10 as attached in this Supplemental Bid Bulletin No. 2 dated 24 December 2024)

attached in this Supplemental Bid Bulleti	n No. 2 dated 24 December 2024)
FROM	TO
 VI. Documentary Requirements before the Bid Opening 1. The supplier must have completed a single contract of similar nature within the last five (5) years, equivalent to at least fifty percent (50%) of the ABC of this project. "Similar Contract" shall mean Supply and Delivery of CCTV Surveillance System, Biometric Access, and Anti-Intrusion Burglary Alarm System 2. xxx 3. xxx 4. xxx 5. xxx 	VI. Documentary Requirements before the Bid Opening 1. The supplier must have completed a single contract of similar nature within the last five (5) years, equivalent to at least fifty percent (50%) of the ABC of this project. "Similar Contract" shall mean Supply, Delivery and Installation of CCTV Surveillance System and/or biometric access, and an anti-intrusion burglar alarm. 2. xxx 3. xxx 4. xxx 5. xxx
Annex A of FORM 10 To add	Revised Annex A of Revised FORM 10 Type of Equipment Item 3: Type C Alarm Control Panel (to add Foot Rail Switch, 2 units per branch, total of 32 units for the 16 Metro Manila Branches) Foot rail switch 2 Teller 1&2

FROM Annex A of Form 10 Revised Annex A of Revised Form 10 Summary of Security Surveillance Equipment for Revised Summary of Security Surveillance Equipment for the Sixteen (16) DBP Metro Manila Branches the Sixteen (16) DBP Metro Manila Branches SUMMARY OFSECURITY SURVEILLANCE EQUIPMENT FOR THE SUMMARY OFSECURITY SURVEILLANCE EQUIPMENT FOR THE SIXTEEN (16) DBP METRO MANILA BRANCHES SIXTEEN (16) DBP METRO MANILA BRANCHES ITEM DESCRIPTION ITEM DESCRIPTION QTY A.1 - DOME TYPE CAMERA (190 units) A.1 - DOME TYPE CAMERA (190 units) 190 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 16 2 16 units) A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units) A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units) 16 A.4 - CCTV SERVER CABINET (16 units) B.1 - ACCESS CONTROL READER (16 units) A.4 - CCTV SERVER CABINET (16 units) 16 B.1 - ACCESS CONTROL READER (16 units) 8.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets) B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets) C.1 - BURGLAR ALARM CONTROL PANEL (16 units) C.1 - BURGLAR ALARM CONTROL PANEL (16 units) C.2 - MONEY CLIP (48 units) C.2 - MONEY CLIP (48 units) 48 C.3 - HOLD-UP BUTTON (160 units.)
C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units) C.3 - HOLD-UP BUTTON (160 units) 160 C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR [32 units] 10 C.S - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 C.S - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 48 11 C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (12 96 units) C.7 - EMERGENCY BUTTON WITH BUZZER (16 units) 95 units) 13 C.7 - EMERGENCY BUTTON WITH BUZZER (16 units) C.8 - ELECTRONIC SIREN (16 units) C.8 - ELECTRONIC SIREN (16 units)
C.9 - STROBELIGHT (16 units) 14 C.9 - STROBELIGHT (16 units) C.10 - INDICATOR LIGHT (16 units 16 C.10 - INDICATOR LIGHT (16 units) 16 C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units) C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units) C.12 - PIR MOTION SENSOR (32 units) 16 18 C.12 - PIR MOTION SENSOR (32 units) D.1 - DESKTOP PC with Access Control and CCTV System Manag 19 C.13 - FOOT RAIL SWITCH (32 units) 32 rare (16 Sets) with Access Control and CCTV System Management E.1 - CATSe UTP CABLE to include Conduits and Miscellaneous Ma 16 Software (16 Sets) E.1 - CAYSe UTP CABLE to include Conduits and Miscellaneous Materials (16 E.2 - LABOR CHARGE for the installation, Configuration, Testing and 21 Branches) 16 15 ioning (16 Branches) E.2 - LABOR CHARGE for the installation, Configuration, Testing and Commissioning [16 Branches) Annex B of FORM 10 Revised Annex B of Revised FORM 10 To add **Technical Specifications** C.13 - FOOT RAIL SWITCH (32 Units)

 Revision on the Checklist of Requirements (Please see Revised Checklist of Requirements as attached in this Supplemental Bid Bulletin No. 2 dated 4 December 2024)

FROM	TO
TAB 5	TAB 5
Statement of single completed contract of similar nature (government or private contract) within the last five (5) years equivalent to at least fifty percent (50%) of the ABC of the item being bid, (Template per FORM 4), duly signed by the bidder's authorized representative.	Statement of single completed contract osimilar nature (government or private contract within the last five (5) years equivalent to a least fifty percent (50%) of the ABC of the item being bid, (Template per REVISED FORM 4) duly signed by the bidder's authorized representative.
Similar contract refers to Supply, Delivery and Installation of CCTV Surveillance System.	Similar contract refers to Supply, Delivery and Installation of CCTV Surveillance System and/or biometric access, and an antintrusion burglar alarm.
	xxx

FROM	TO			
AB 10	TAB 10			
Accomplished Certificate of	Accomplished Certificate of Conformance to the Scop			
Conformance to the Scope of	of Service/Terms of Reference per FORM	9, di		
Service/Terms of Reference per FORM	signed by the bidder's authorized represent	ative.		
duly signed by the bidder's				
uthorized representative.	The complete Revised Scope of Services	Tarme		
attionzed representative.	The complete Revised Scope of Services/Terms			
ha associate Cooper of Cooping Towns	Reference, its revised specifications are also at	acnea		
he complete Scope of Services/Terms	REVISED FORM 10 for reference.			
of Reference, its specifications are also				
ttached as FORM 10 for reference.				
Second Envelope: Financial Proposal	Second Envelope: Financial Proposal			
ab 2	Tab 2			
	Detailed Financial Proposal/Price Schedule dul	veian		
etailed Financial Proposal/Price	를 잃었다면 하는 아니라 마른 아이들이 살아 있다면 하는 것이 아니라 이 사람들이 하는 아이들이 아니라 아이들이 아니라 아이들이 아니라			
	by the bidder's authorized representative.			
chedule duly signed by the bidder's	shall use either REVISED FORM 12-A or FO	RM 12		
uthorized representative. Bidders shall	as template.			
se either FORM 12-A or FORM 12-B		but not		
se either FORM 12-A or FORM 12-B	Detailed Financial Bid, must include, such as,	but not		
$\underline{\text{se}}$ either $\underline{\text{FORM}}$ 12-A or $\underline{\text{FORM}}$ 12-B is template.	Detailed Financial Bid, must include, such as, limited to:	,		
se either FORM 12-A or FORM 12-B is template. The total detailed bid must not exceed	Detailed Financial Bid, must include, such as,	but not		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1 A.1 - DOME TYPE CAMERA (190 units) A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16	QTY		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1 A.1 - DOME TYPE CAMERA (190 units) 2 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)	QTY 190 16		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1 A.1 - DOME TYPE CAMERA (190 units) 2 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)	QTY 190		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1 A.1 - DOME TYPE CAMERA (190 units) 2 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units) 3 A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units) 4 A.4 - CCTV SERVER CABINET (16 units) 5 B.1 - ACCESS CONTROL READER (16 units) 6 B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets)	QTY 190 16 16 16 16 16 16		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16		
se either FORM 12-A or FORM 12-B s template. he total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 16 48 160 32		
se either FORM 12-A or FORM 12-B s template. he total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION	QTY 190 16 16 16 16 16 16 16 16 48 160 32		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1 A.1 - DOME TYPE CAMERA (190 units) 2 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)) 3 A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units) 4 A.4 - CCTV SERVER CABINET (16 units) 5 B.1 - ACCESS CONTROL READER (16 units) 6 B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets) 7 C.1 - BURGLAR ALARM CONTROL PANEL (16 units) 8 C.2 - MONEY CUP (48 units) 9 C.3 - HOLD-UP BUTTON (160 units) 10 C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units) 11 C.5 - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 units) 12 C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (96 units)	QTY 190 16 16 16 16 16 16 16 48 160 32 48		
se either FORM 12-A or FORM 12-B s template. he total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32 48		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1 A.1 - DOME TYPE CAMERA (190 units) 2 A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)) 3 A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units) 4 A.4 - CCTV SERVER CABINET (16 units) 5 B.1 - ACCESS CONTROL READER (16 units) 6 B.2 - ACCESS CONTROL READER (16 units) 7 C.1 - BURGLAR ALARM CONTROL PANEL (16 units) 8 C.2 - MONEY CLIP (48 units) 9 C.3 - HOLD-UP BUTTON (160 units) 10 C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units) 11 units) 12 C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (96 units) 13 C.7 - EMERGENCY BUTTON WITH BUZZER (16 units) 14 C.8 - ELECTRONIC SIREN (16 units) 15 C.9 - STROBELIGHT (16 units)	QTY 190 16 16 16 16 16 16 16 48 160 32 48 96 16 16 16		
se either FÖRM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32 48 96 16 16 16 16		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32 48 96 16 16 16		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32 48 96 16 16 16 16 16		
se either FORM 12-A or FORM 12-B s template. The total detailed bid must not exceed the ABC and must be consistent with the	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32 48 96 16 16 16 16 16 16 16 16 16 16 16 16 16		
se either FORM 12-A or FORM 12-B is template.	Detailed Financial Bid, must include, such as, limited to: ITEM DESCRIPTION 1	QTY 190 16 16 16 16 16 16 16 48 160 32 48 96 16 16 16 16 16 16 16 16 32 32 32		

6. Revision on the Bidding Forms (Please see as attached in this Supplemental Bid Bulletin No. 2 dated 4 December 2024)

FROM	ТО		
FORM 4	REVISED FORM 4		
Statement of Single Largest Completed Contract	Statement of Single Largest Completed Contract		
FORM 12- A or FORM 12-B	REVISED FORM 12-A or FORM 12-B		
Detailed Financial Proposal/ Price Schedule	Revised Detailed Financial Proposal/Price Schedule		

- 7. Bidders are reminded to use the following revised bidding forms as attached in this Supplemental Bid Bulletin No. 2 dated 4 December 2024 and submit together with ALL other required documents for the Submission and Opening of Eligibility, Technical, and Financial Documents:
 - a. REVISED FORM 4 for the Statement of Single Largest Completed Contract;
 - b. REVISED FORM 10 as reference for the submission of FORM 9;
 - c. REVISED FORM 12-A or FORM 12-B for the Detailed Financial Proposal
- Bidders are reminded to use as guide/reference in preparing their Bidding Documents the Revised Checklist of Requirements attached in this Supplemental Bid Bulletin No. 2 dated 4 December 2024
- The Eligibility, Technical Documents and Financial Proposals <u>must be properly tabbed</u> for easy reference and must be submitted in sequence/order per <u>Revised Checklist of</u> <u>Requirements</u>.
- The BAC shall no longer entertain any question/request for clarification after the issuance of this Bid Bulletin.
- 11. Please be advised that bids submitted after the deadline shall only be marked for recording purposes, shall not be included in the opening of bids, and shall be returned to the bidder unopened.

For the guidance and information of all concerned.

RONALDO U. TEPORA
Senior Vice President, and
Chairperson, Bids and Awards Committee

Date

REVISED FORM 4

(use Bidder's Official Letterhead)

SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING, AND COMMISSIONING OF ONE (1) LOT CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS, AND ANTI-INTRUSION BURGLARY ALARM SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES - REBID

Bid Reference No. G-2024-44

STATEMENT OF SINGLE LARGEST CONTRACT (GOVERNMENT OR PRIVATE), OF SIMILAR NATURE COMPLETED WITHIN THE LAST FIVE (5) YEARS EQUIVALENT TO AT LEAST FIFTY PERCENT (50%) OF THE ABC OF THE ITEM BEING BID. **Business Name Business Address** a) Amount a) Date Awarded a) Client's Name Bidder's Role Award b) Contract b) Address Nature Name of Contract b) Amount at Effectivity c) Telephone No. of Work % Completion c) Date Description d) Email Address c) Duration Completed IMPORTANT: Please attach the following supporting documents related to each listed completed similar contract: The identified single largest completed contracts must be supported by the following: Notice of Award (NOA), OR Notice to Proceed (NTP), OR Contract/Purchase Order (PO) AND Any one of the following documents: Copy of Certificate of Completion or Certificate of Acceptance or Certificate of Satisfactory Performance issued by the bidder's client; Copy of Official Receipt/s or Sales Invoice/s issued by the bidder to the client 2.2)(ORs/ SIs must sum up to the full amount of total contract price of completed project). Submitted by (Printed Name & Signature) Designation

Note: Similar contract shall refer to supply, delivery and installation of CCTV surveillance system and/or biometric access, and an anti-intrusion burglar alarm system.

REVISED FORM 10 (page 1 of 9) For Reference Only

SCOPE OF SERVICES/TERMS OF REFERENCE

(As of 7 November 2024)

SERVICE PROVIDER FOR

ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION,
TESTING AND COMMISSIONING OF CLOSED-CIRCUIT TELEVISION
SURVEILLANCE (CCTV), BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY
ALARM SYSTEMS FOR THE SIXTEEN (16) DBP METRO MANILA BRANCHES OF
THE DEVELOPMENT BANK OF THE PHILIPPINES

Approved Budget for the Contract

The ABC or Total Project Cost for One (1) lot Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm systems of the Sixteen (16) DBP Metro Manila Branches (the "Project") is PESOS: SEVEN MILLION EIGHT HUNDRED SIXTEEN THOUSAND FOUR HUNDRED (Php7,816,400.00) inclusive of all applicable government taxes and charges.

	NO. OF BRANCHES	COST per BRANCH	TOTAL
	15	Php 489,400.00	Php7,341,000.00
	1	475,400.00	475,400.00
TOTAL	16		Php7,816,400.00

II. Objective

This Project aims to restore and upgrade all the CCTV, Biometric Access and Anti-intrusion Burglary alarm systems of the Sixteen (16) DBP Metro Manila Branches through procurement via public bidding pursuant to the provisions of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act.

III. Duration of the Project

The implementation of the Project shall be effective upon the issuance of the Notice to Proceed (NTP), unless otherwise terminated by DBP due to any breach, violation and/or default of the Vendor in the performance of any of its obligations, terms and conditions stipulated in the contract agreement.

REVISED FORM 10 (page 2 of 9) For Reference Only

Page 2

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

All the terms and conditions shall remain the same for the whole duration of the contract until completion of the Project including after sales service warranty for labor and materials.

IV. Scope of Work

- Supply, delivery, restoration, upgrade and installation of all the necessary equipment, materials/components and complete operational system based on the Bank's requirements for the upgrading of all existing CCTV, Biometric Access and Anti-intrusion burglary alarm systems of all the Sixteen (16) DBP Metro Manila branches with 24/7 real-time monitoring. The Sixteen (16) DBP Metro Manila Branches with their corresponding recommended security equipment are detailed in Annex A.
- The layout of CCTV, biometric Access and Anti-intrusion burglary alarm systems shall be provided by the procuring entity to the supplier upon issuance of Notice of Award and upon signing of a Non-Disclosure Agreement (NDA) due to the confidentiality of the documents and security reason.
- The supplier shall complete the delivery, installation, testing and commissioning within Sixty (60) calendar days after receipt of Notice to Proceed.

V. Technical Specifications

- The surveillance system shall be open-standard supporting different IP cameras.
- The surveillance system should have cameras of the same brand that can be viewed both locally and remotely within DBP Network.
- 3. The surveillance system can be monitored and controlled through the workstation at the soon to be established new Control Monitoring System (CMS). It shall support on-demand monitoring by specified users that can be supported by the existing IP network infrastructure of DBP.
- The surveillance system shall support still views of video records for investigation and analysis purposes.
- All camera recordings shall have camera ID, time/date and location or area of recording and can be accessed by the system administrator with user ID and password.

SUPPLEMENTAL BID BULLETIN NO. 2 (4 December 2024)

BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND
COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM
SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES- REBID
(ABC: PhP 7,816,400.00 inclusive of all applicable taxes)

REVISED FORM 10 (page 3 of 9) For Reference Only

Page 3

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

- 6. The required ninety (90) days minimum retention period, on site plus 90 days back-up files shall be automatically recorded (locally) on-site/branch in a separate external drive hence, the Supplier shall provide a system/device for the purpose. Retention period of 90 days and back-ups shall not be reduced and/or lessened in case an additional security camera will be installed.
- The surveillance system shall provide User activity log (audit trail) with user's ID, time stamped, and action performed.

Attached as Annex B is the detailed technical specifications of the CCTV, Biometric Access and Anti-intrusion Burglary alarm systems.

VI. Documentary requirements before the Bid Opening

- The supplier must have completed a single contract of similar nature within the last Five (5) years, equivalent to at least fifty percent (50%) of the ABC of this project. "Similar Contract" shall mean Supply, Delivery and Installation of CCTV Surveillance System and/or biometric access, and an anti-intrusion burglar alarm system.
- The Supplier must provide a list of key personnel to include a project coordinator for the project.
- 3. The Supplier must have a Certificate of completion with a rating of at least "Satisfactory" or a Certificate of Acceptance of at least Three (3) projects for the Supply, Delivery and Installation of CCTV System within the last Ten (10) years from Three (3) previous clients/customers (subject to validation of the procuring entity).
- The Supplier must submit at least one (1) service center located within Metro Manila. Outsourcing or sub-contracting is not allowed.
- 5. The Supplier must have a brochure or technical data sheet for the following:
 - CCTV surveillance equipment:
 - a. NVR
 - b. CCTV camera
 - c. POE Switch
 - d. NVR Hard Disk Drive
 - II. Access Control System

REVISED FORM 10 (page 4 of 9) For Reference Only

Page 4

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

Access Control Reader

- III. Alarm System
 - Burglar Alarm Control Panel
- IV. Desktop PC
- V. External Hard Drive
- The Supplier must submit a Certificate from the manufacturer for the brand being offered (CCTV) stating that the supplier is a reseller or distributor.

VII. Warranties and Undertakings of the Supplier

In coordination with and upon prior approval of the Bank through its Management Team, the supplier shall undertake, execute and perform the following:

- The supplier shall be responsible for the acquisition of all necessary documents (licenses, permits, software, tools, etc.) needed to satisfactorily perform the activity to ensure that the system/project shall be in good operational condition and compliant with all the standards/regulations.
- The supplier must conduct inspection and verification on the actual area of construction/installation.
- The supplier shall be responsible in the dismantling, decommissioning of existing CCTV and other security surveillance equipment/device, if any and shall be turned over to the Bank's SSD.
- 4. All necessary pipes, cables, supports and accessories shall be provided by the contractor to complete all requirements to operate the CCTV Surveillance System, Biometric Access System and Anti-intrusion and Burglary System included in the PROJECT.
- 5. Upon receipt of the NTP, the supplier must submit within seven (7) days the sample/s of materials/technical specification/shop drawing for approval by DBP before fabrication/installation. DBP has the right to reject delivery if item/s delivered were found to be defective and not according to the required specifications/model.
- The supplier shall provide temporary protection on the work areas affected by the activities.

REVISED FORM 10 (page 5 of 9) For Reference Only

Page 5

- The supplier shall make sure that no damage will /may occur during the removal /dismantling and installation of all systems included in the PROJECT, as well as wires, otherwise, the supplier shall be charged accordingly.
- DBP may terminate/cancel the Purchase Order (PO)/Notice to Proceed when the supplier fails to deliver, perform and comply with its obligation.
- The supplier shall test all newly installed security equipment, systems, devices after the completion of each site to ensure that, for Personal Computers – branded and not cloned and the equipment are in good operational/working condition. Installation of cameras must comply with the original plan.
- 10. Within the warranty period, the supplier shall bi-annually conduct Preventive Maintenance with written service report to include the following but not limited to:
 - Perform Problem Determination/Problem Source Identification for problems related to this Project;
 - ii. Troubleshoot software and hardware failures of the BANK users;
 - Perform a per visit diagnostics test on all hardware and software and prepare diagnosis report and recommendations for replacements to the BANK of defective parts;
 - iv. Cleaning, inspection, adjusting, reconfiguration and testing every component in the security equipment except rewiring thereof e.g. battery testing, checking of voltage of the AC/DC power transformer and tightening of all the screws and terminals inside the panel.
- 11. The supplier must provide at least one (1) day training for each of the 16 DBP Branches for the basic operations and trouble shooting of CCTV, Biometric Access and Anti-Intrusion Alarm Systems to designated DBP personnel as identified by the Bank's SSD that is to be conducted after the complete delivery of the units.
- 12. The supplier shall maintain an inventory of all spare parts, devices, and equipment to ensure all service request that require replacement parts will be serve within resolution time of twenty-four (24) hours upon receipt of request.

REVISED FORM 10 (page 6 of 9) For Reference Only

Page 6

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

VIII. Warranty Period and Retention

The supplier shall provide a 3 year warranty on parts and labor for devices including licenses.

Within the warranty period, the supplier shall replace all defective device/equipment with a brand new and the same specification as the original with no additional cost to the Bank.

The winning bidder is required to submit a special bank guarantee or a letter confirmation for the required retention in the amount equivalent to 5% of the total contract price for the duration of the three (3) year warranty period or renewable every year.

The retention amount shall be released upon confirmation by the procuring entity that all equipment delivered are free from patent and latent defects and all other conditions of the contract have been completely implemented.

IX. Inspection and Testing

SSD authorized representative shall inspect/check/evaluate and approve the installation performed per branch by the Supplier based on the following:

Procedure	Remarks		
Check if all items are complete	Delivered items includes all the necessary pipes cables, supports and accessories.		
Application Testing	CCTV, Biometric Access and Anti-intrusion Burglary Alarm Systems are working .		
Hardware/physical testing	Units are brand new and in good working condition.		

X. Payment

a. The winning bidder/supplier shall open an account with DBP upon receipt of Notice of Award in case the bidder does not have an account with DBP (per DBP Circular 03 dated January 12, 2018).

REVISED FORM 10 (page 7 of 9) For Reference Only

Page 7

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

- b. Payment of 50% of the contract price shall be made upon completion of the first 8 branches and the final payment upon completion of the 16 branches.
- c. Certificate of Acceptance will be issued upon completion of the following:
 - Supply, delivery, installation, mounting, termination, testing and commissioning
 of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Antiintrusion Burglary Alarm Systems as per attached items in ANNEX B for Sixteen
 (16) DBP Metro Manila Branches.
 - Completion of inspection and testing under Section IX. Inspection and testing
 - One (1) day training for the basic operations and troubleshooting of CCTV, Biometric Access and Anti-Intrusion Alarm Systems under Section VII.
 Warranties and Undertakings of the Supplier Item No. 11
 - Upon completion, the supplier shall conduct actual testing and commissioning of the systems before DBP's acceptance of the Project or issuance of the Certificate of Acceptance (COA).

XI. Liquidated Damages

The supplier obligates itself to perform and complete all services within the specified Project duration, exclusive of such extensions of time as may be mutually agreed upon by the parties.

Should the supplier fail to complete the services within the Project duration, liquidated damages, not by way of penalty, shall be paid to DBP by the supplier in an amount equal to one-tenth of one percent (1/10 of 1%) of the contract price for each calendar day delay until the services are completed.

XII. Performance Security

To guarantee the faithful performance of obligations, the supplier is required to post within ten (10) calendar days from receipt of Notice of Award, a performance security in any of the following forms and percentages:

Forms of Performance Security	Minimum % of Contract Price		
Cash, Cashier's/manager's check issued by a Universal or Commercial Bank			
Bank draft/guarantee or Irrevocable letter of credit issued by a Universal or Commercial Bank; If issued by a	Five Percent (5%)		

REVISED FORM 10 (page 8 of 9) For Reference Only

Page 8

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-Intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

foreign bank, it shall be confirmed or authenticated by a Universal or Commercial Bank	
Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission.	Thirty Percent (30%)

XIII. Non-Disclosure Agreement

The bidder shall strictly adhere to the confidentiality agreement with the Bank. Information about DBP and its operation in this document is considered proprietary and confidential and must be treated as such by the recipients of this TOR. In the same manner, the responses to this TOR which shall be specified as confidential shall not be disclosed to any third party.

- Each party agrees to hold and maintain all confidential materials and information which shall come into its possession or knowledge in connection with the project or its performance, and not to make use hereof other than for the purpose of this project.
- After completion of the project, all materials, data, proprietary information and other related documents provided to the winning bidder, and which are hereby deemed owned by DBP shall be returned to DBP.
- The supplier undertakes that it shall make appropriate instructions to its employees who need to have access to such information and materials to satisfy and comply with its confidential obligation as set forth in this Section.
- This confidentiality obligation shall survive even after the termination of the contract.
- The supplier shall, likewise, oblige the provider to be bound by this confidentiality contract.
- 6. The supplier's breach of this confidentiality provision shall entitle DBP to legal and other equitable remedies including but not limited to the immediate cancellation of the contract and shall entitle DBP for claim for damages and injunctive relief under the circumstances. DBP may also elect to terminate further access by the supplier to any data and information.

REVISED FORM 10 (page 9 of 9) For Reference Only

Page 9

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

7. A Non-Disclosure Agreement between DBP and the supplier will form part of the contract that outlines confidential material, knowledge, or information that both parties wish to share with one another for certain purposes but wish to restrict access for or by third parties.

XIV. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised RA No. 9184 shall form part of the Contract. Additional contract documents are indicated in the Bid Data Sheet (BDS). A copy of the draft Contract or Purchase Order is attached in the bidding documents.

XV. OGCC Review

All agreements to be executed by the parties, including all its amendments/supplements in relation to the project/transaction shall be subject to comments/revisions, if any, of the OGCC shall be incorporated in the Agreement that will take effect from signing thereof.

Revised Annex A of Form 10 (page 1 of 33) For Reference Only

Page 12

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-Intrusion Burgiary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

ANNEX A

DBP ALABANG

Unit 101 G/F Admiralty Realty Corp. 1101 Madrigal Business Park, Alabang-Zapote Road, Alabang, Muntinlupa



TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

ITEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	i. IP Dome Type Camera 3MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	C	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Telle 1 &2, New Accounts, Inside Vault, BSO Main Door

SUPPLEMENTAL BID BULLETIN NO. 2 (4 December 2024)

BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND

COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM

SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES- REBID

(ABC: PhP 7,816,400.00 inclusive of all applicable taxes)

Revised Annex A of Form 10 (page 2 of 33) For Reference Only

Page 13

Magnetic Door Contact for vault	2	Vault
(Heavy Duty) Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1 & 2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 3 of 33) For Reference Only

Page 14

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP ANTIPOLO

JMK Bldg., Circumferential Road, Cor. P. Oliveros St., Barangay San Roque, Antipolo City

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	А	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3

Revised Annex A of Form 10 (page 4 of 33) For Reference Only

Page 15

Hold up But	ton 10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
Magnetic De Contact for v (Heavy Du	ault	Vault
Magnetic De Contact		Entry/exit doors
Vibration cor	ntact 6	Vault
Emergency b with buzze		Vault area
Electronic si	ren 1	Outside main door
Strobeligh	nt 1	Outside main door
Indicator lig	ht 1	Outside main door
Digital aut telephone di		Beside alarm panel
PIR Motion Se	ensor 2 tch 2	Lobby/exit door
Foot rail swi	tch 2	Teller 1 & 2
Desktop PC Access Contro CCTV Syste Manageme Software	ol and 1 em ent	Inside, Near BSO area
CAT5e UTP Ca include Condui Miscellaneo Materials	ts and	
Labor Char (installation configuration, T and Commission	n, esting	

Revised Annex A of Form 10 (page 5 of 33) For Reference Only

Page 16

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP CALOOCAN

Units 913-914, G/F C-Cube, 8th St., 8th Ave., Brgy 103, Caloocan City 1400

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

ITEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	 i. IP Dome Type Camera 5MP 	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
		Magnetic Door Contact for vault (Heavy Duty)	2	Vault

SUPPLEMENTAL BID BULLETIN NO. 2 (4 December 2024)

BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND

COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM

SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES- REBID

(ABC: Php 7,816,400.00 inclusive of all applicable taxes)

Revised Annex A of Form 10 (page 6 of 33) For Reference Only

Page 17

Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		520
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 7 of 33) For Reference Only

Page 18

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP MAKATI

G/F Lasala Building II, Lot 12 Block1, F. Zobel St., Brgy. Poblacion, Makati City

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	v. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		vi. 16 Channels NVR	1	BSO Area
		vii. Power interface switch for POE	1	NVR Area
		viii. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault BSO Main Door
		Magnetic Door Contact for vault (Heavy Duty)	2	Vault
		Magnetic Door Contact	3	Entry/exit doors
		Vibration contact	6	Vault

Revised Annex A of Form 10 (page 8 of 33) For Reference Only

Page 19

Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		25
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 9 of 33) For Reference Only

Page 20

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP MANDALUYONG

Jo-Cel Building, 29 San Roque St., Brgy. Ilaya Mandaluyong City

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	A	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls

Revised Annex A of Form 10 (page 10 of 33) For Reference Only

Page 21

Money Clip	3	Tellers 1,2 & 3
Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
Magnetic Door Contact for vault (Heavy Duty)	2	Vault
Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 11 of 33) For Reference Only

Page 22

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP MANILA

G/F W. Godino Bldg., No. 350 A. Villegas St. Brgy. Ermita, Manila

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	A	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
	-	iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
-		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls

Revised Annex A of Form 10 (page 12 of 33) For Reference Only

Page 23

Money Clip	3	Tellers 1,2 & 3
Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
Magnetic Door Contact for vault (Heavy Duty)	2	Vault
Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 13 of 33) For Reference Only

Page 24

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP MANILA-NAKPIL

1804 Leticia Bldg., Julio Nakpil St., cor. Taft Avenue Brgy. 693, Malate Manila

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1 A	A	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
	12			Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls

Revised Annex A of Form 10 (page 14 of 33) For Reference Only

Page 25

Money Clip	3	Tellers 1,2 & 3
Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
Magnetic Door Contact for vault (Heavy Duty)	2	Vault
Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 15 of 33) For Reference Only

Page 26

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP MARIKINA

No. 37 WRCC Bldg., Dragon St. corner Gil Fernando Ave., Midtown Subd., Brgy. San Roque Marikina City

- CCTV Surveillance System
- J. Access Control System
- K. Alarm System
- L. Desktop computer with alarm/CCTV/Access Control Management Software

ITEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	 i. IP Dome Type Camera 5MP 	12 Main Lobby	Main Lobby (2)
		-		Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2 New Accounts, Inside Vault, BSO Main Door

Revised Annex A of Form 10 (page 16 of 33) For Reference Only

Page 27

Magnetic Door Contact for vault (Heavy Duty)	2	Vault	
Magnetic Door Contact	3	Entry/exit doors	
Vibration contact	6	Vault	
Emergency button with buzzer	1	Vault area	
Electronic siren	1	Outside main door	
Strobelight	1	Outside main door	
Indicator light	1	Outside main door	
Digital auto telephone dialer	1	Beside alarm panel	
PIR Motion Sensor	2	Lobby/exit door	
Foot rail switch	2	Teller 1&2	
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area	
CAT5e UTP Cable to include Conduits and Miscellaneous Materials			
Labor Charge (installation, configuration, Testing and Commissioning)			

Revised Annex A of Form 10 (page 17 of 33) For Reference Only

Page 28

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP PARAÑAQUE

Unit 14&15 G/F Aseana Power Station, Macapagal Blvd. cor. Bradco Ave., Baclaran, Parañaque City

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	A	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault

Revised Annex A of Form 10 (page 18 of 33) For Reference Only

Page 29

3	С	Alarm Control Panel	1	Corner walls
			set	
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller &2, New Accounts, Inside Vault, BSO Main Door
		Magnetic Door Contact for vault (Heavy Duty)	2	Vault
		Magnetic Door Contact	3	Entry/exit doors
		Vibration contact	6	Vault
		Emergency button with buzzer	1	Vault area
		Electronic siren	1	Outside main door
		Strobelight	1	Outside main door
		Indicator light	1	Outside main door
		Digital auto telephone dialer	1	Beside alarm panel
		PIR Motion Sensor	2	Lobby/exit door
		Foot rail switch	2	Teller 1 & 2
		Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
		CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
		Labor Charge (installation, configuration, Testing and Commissioning)		



Revised Annex A of Form 10 (page 19 of 33) For Reference Only

Page 30

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP PASAY

Centro Buendia Building, Sen. Gil Puyat cor. Tramo St., Barangay 48, Pasay City

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	A	 IP Dome Type Camera 5MP 	12	Main Lobby (2)
-				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2 New Accounts, Inside Vault, BSO Main Door
		Magnetic Door Contact for vault (Heavy Duty)	2	Vault
		Magnetic Door Contact	3	Entry/exit doors

SUPPLEMENTAL BID BULLETIN NO. 2 (4 December 2024)

BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES- REBID (ABC: PhP 7,816,400.00 inclusive of all applicable taxes)

Revised Annex A of Form 10 (page 20 of 33) For Reference Only

Page 31

Vibrat	ion contact	6	Vault
	cy button with	1	Vault area
Elect	ronic siren	1	Outside main door
Str	obelight	1	Outside main door
India	cator light	1	Outside main door
	uto telephone dialer	1	Beside alarm panel
PIR Mo	otion Sensor	2	Lobby/exit door
Foot	rail switch	2	Teller 1 & 2
Contro System	PC with Access I and CCTV Management oftware	1	Inside, Near BSO area
include	UTP Cable to Conduits and eous Materials		
configurati	rge (installation, on, Testing and nissioning)		

Revised Annex A of Form 10 (page 21 of 33) For Reference Only

Page 32

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP PASIG

Pacific Center Building Unit 102 No. 33 San Miguel Ave., Ortigas Center Brgy. San Antonio, Pasig City

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	i. IP Don Type Camera 5MP	ne 12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault

Revised Annex A of Form 10 (page 22 of 33) For Reference Only

Page 33

3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2 New Accounts, Inside Vault, BSO Main Door
		Magnetic Door Contact for vault (Heavy Duty)	2	Vault
		Magnetic Door Contact	3	Entry/exit doors
		Vibration contact	6	Vault
		Emergency button with buzzer	1	Vault area
		Electronic siren	1	Outside main door
		Strobelight	1	Outside main door
		Indicator light	1	Outside main door
		Digital auto telephone dialer	1	Beside alarm panel
		PIR Motion Sensor	2	Lobby/exit door
		Foot rail switch	2	Teller 1&2
		Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
		CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
	-	Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 23 of 33) For Reference Only

Page 34

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP ROCES AVENUE

G/F M&J Bldg., No. 123 Don Alejandro Roces Ave., Brgy. Laging Handa, Quezon City

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	A	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3

Revised Annex A of Form 10 (page 24 of 33) For Reference Only

Page 35

Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
Magnetic Door Contact for vault (Heavy Duty)	2	Vault
Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 25 of 33) For Reference Only

Page 36

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP QUEZON CITY

G/F Medical Arts Bldg. Philippine Heart Center for Asia, East Ave., Brgy. Central, Quezon City

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	i. IP Dome Ty Camera 5MF	pe 12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server		
-		Cabinet	1	BSO Area
2	В	Access Control Reade	r 1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
	2	Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2 New Accounts, Inside Vault, BSO Main Door

Revised Annex A of Form 10 (page 27 of 33) For Reference Only

Page 38

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP SAN JUAN

Unit GF-1 Harmonia Center, Ortigas Ave., Greenhills West Brgy. Greenhills, San Juan City

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	Α	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door

SUPPLEMENTAL BID BULLETIN NO. 2 (4 December 2024)

BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND

COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM

SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES- REBID

(ABC: PhP 7,816,400.00 inclusive of all applicable taxes)

Revised Annex A of Form 10 (page 27 of 33)

Lar Dagarana Chahi

Page of 61

Revised Annex A of Form 10 (page 31 of 33) For Reference Only

sources of Court 1 for Supply, deliver socialistics, in unting termination, resting and and extends and activation of Al Court and activation of the court of the court activation of the court activation of the court of the court activation of the court of the court

(CARLOLIDA)

of Lint 1 the Trans & Financial Tower
The co 52° St Bonifacio Global City
Stgy Fort Bonifacio Faguig

THE MENUS ROUSE

A CFT/ Surve lance System

D. At the Country of the

Elization compliter with starm/CC // Access Control Management Software

SUPPLEMENTAL BY A COME (1) LOT SUPPLY DECEMBED NO. 7 M DESCRIPTION TO REFER A COME (2) LOT SUPPLY SUPPLY DECEMBED NO. 7 M DESCRIPTION TEST VO AND LONG SUPPLY DECEMBED NO. 1 DESCRIPTION TEST VO AND LONG SUPPLY DECEMBED NO. 1 DESCRIPTION SUPPLY DESCRIPTION SUPPLY

Revised Annex A of Form 10 (page 28 of 33) For Reference Only

Page 39

Magnetic Door Contact for vault (Heavy Duty)	2	Vault	
Magnetic Door Contact	3	Entry/exit doors	-
Vibration contact	6	Vault	\neg
Emergency button with buzzer	1	Vault area	
Electronic siren	1	Outside main door	
Strobelight	1	Outside main door	\neg
Indicator light	1	Outside main door	٦
Digital auto telephone dialer	1	Beside alarm panel	
PIR Motion Sensor	2	Lobby/exit door	
Foot rail switch	2	Teller 1&2	
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area	
CAT5e UTP Cable to include Conduits and Miscellaneous Materials			
Labor Charge (installation, configuration, Testing and Commissioning)			

Revised Annex A of Form 10 (page 29 of 33) For Reference Only

Page 40

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

DBP TAGUIG

BSJE Bldg., No. 9 Gen. Luna St., Brgy. Tuktukan, Taguig City

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TEM	TYPE	DESCRIPTION	QTY	LOCATION
1	A	i. IP Dome Type Camera 5MP	12	Main Lobby (2)
				Records Vault
				Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault
3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3

Revised Annex A of Form 10 (page 30 of 33) For Reference Only

Page 41

Hold up Button	10	Branch Head, Cashier, Teller 1 &2, New Accounts, Inside Vault, BSO Main Door
Magnetic Door Contact for vault (Heavy Duty)	2	Vault
Magnetic Door Contact	3	Entry/exit doors
Vibration contact	6	Vault
Emergency button with buzzer	1	Vault area
Electronic siren	1	Outside main door
Strobelight	1	Outside main door
Indicator light	1	Outside main door
Digital auto telephone dialer	1	Beside alarm panel
PIR Motion Sensor	2	Lobby/exit door
Foot rail switch	2	Teller 1&2
Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 31 of 33) For Reference Only

Page 42

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

TAGUIG (BGC)

G/F Unit 5 The Trade & Financial Tower, 7th Ave cor. 32nd St., Bonifacio Global City, Brgy. Fort Bonifacio, Taguig

TYPE OF EQUIPMENT

- A. CCTV Surveillance System
- B. Access Control System
- C. Alarm System
- D. Desktop computer with alarm/CCTV/Access Control Management Software

TE M	TYP E	DESCRIPTION	QTY	LOCATION
1	A	 i. IP Dome Type Camera 5MP 	10	Main Lobby (2)
				Records Vault
		4		Cash Vault
				Outside Vault
				Teller 1
				Teller 2
				Outside ATM
				Perimeter
				Main Door outside
				ATM Vault
		ii. 16 Channels NVR	1	BSO Area
		iii. Power interface switch for POE	1	NVR Area
		iv. CCTV Server Cabinet	1	BSO Area
2	В	Access Control Reader	1	Vault
		Access Control Accessories	1 set	Vault

Revised Annex A of Form 10 (page 32 of 33) For Reference Only

Page 43

3	С	Alarm Control Panel	1 set	Corner walls
		Money Clip	3	Tellers 1,2 & 3
		Hold up Button	10	Branch Head, Cashier Teller 1 &2, New Accounts, Inside Vault BSO Main Door
		Magnetic Door Contact for vault (Heavy Duty)	2	Vault
		Magnetic Door Contact	3	Entry/exit doors
		Vibration contact	6	Vault
		Emergency button with buzzer	1	Vault area
		Electronic siren	1	Outside main door
		Strobelight	1	Outside main door
		Indicator light	1	Outside main door
		Digital auto telephone dialer	1	Beside alarm panel
+		PIR Motion Sensor	2	Lobby/exit door
		Foot rail switch	2	Teller 1&2
		Desktop PC with Access Control and CCTV System Management Software	1	Inside, Near BSO area
		CAT5e UTP Cable to include Conduits and Miscellaneous Materials		
		Labor Charge (installation, configuration, Testing and Commissioning)		

Revised Annex A of Form 10 (page 33 of 33) For Reference Only

Page 44

	SUMMARY OFSECURITY SURVEILLANCE EQUIPMENT FOR THE SIXTEEN (16) DBP METRO MANILA BRANCHES	
ITEM	DESCRIPTION	QTY
1	A.1 - DOME TYPE CAMERA (190 units)	190
2	A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)	16
3	A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units)	16
4	A.4 - CCTV SERVER CABINET (16 units)	16
5	B.1 - ACCESS CONTROL READER (16 units)	16
6	B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets)	16
7	C.1 - BURGLAR ALARM CONTROL PANEL (16 units)	16
8	C.2 - MONEY CLIP (48 units)	48
9	C.3 - HOLD-UP BUTTON (160 units)	160
10	C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units)	32
11	C.5 - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 units)	48
12	C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (96 units)	96
13	C.7 - EMERGENCY BUTTON WITH BUZZER (16 units)	16
14	C.8 - ELECTRONIC SIREN (16 units)	16
15	C.9 - STROBELIGHT (16 units)	16
16	C.10 - INDICATOR LIGHT (16 units)	16
17	C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units)	16
18	C.12 - PIR MOTION SENSOR (32 units)	32
19	C.13 - FOOT RAIL SWITCH (32 units)	32
20	D.1 - DESKTOP PC with Access Control and CCTV System Management Software (16 Sets)	16
21	E.1 - CAT5e UTP CABLE to include Conduits and Miscellaneous Materials (16 Branches)	16
22	E.2 - LABOR CHARGE for the installaion, Configuration, Testing and Commissioning (16 Branches)	16



Revised Annex B of Form 10 (page 1 of 6) For Reference Only

Page 45

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

Annex B

TECHNICAL SPECIFICATIONS

A. CCTV SURVEILLANCE SYSTEM	
1 LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING	
TERMINATION, TESTING AND COMMISSIONING	
OF CCTV SURVEILLANCE SYSTEM, BIOMETRIC ACCESS AND	
ANTI-INTRUSION SYSTEM AND BURGLARY	
SYSTEM FOR DBP	
A.1 - DOME TYPE CAMERA (190 units)	
Camera Image Sensor	5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image.
Infrared Distance	≥ 30m
Video Compression	Supports Smart H.265+, H.265, Smart H.264+, H.264 formats
Lens Type	Fixed Lens
Camera Resolution	5MP @ 20fps, 4MP @ 25/30 fps
Al Function	Intrusion, tripwire, support the classification and accurate detection of vehicle and human
Abnormality Detection	Motion detection, video tampering audio detection, no SD card, SD card full, SD card error, network disconnection, IP conflict, illegal access, and voltage detection.
Power	12V DC/PoE power supply
Protection	IP67, IK10 protection.
Inclusive	Junction Box, Mounting Brackets, other standard mounting accessories
A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 sets)	
Channel Playback	Up to 16 channels
Video Compression	Supports Smart H.265+, H.265, Smart H.264+, H.264 formats.



Revised Annex B of Form 10 (page 2 of 6) For Reference Only

Page 46

Recording Resolution	Max. decoding capability: 32 × 1080p@30 fps or 16 × 4MP@30 fps.
Video Output	HDMI and VGA
HDD Capacity	Atleast 2 HDD Capacity with minimum maximum capacity of 10 TB per HDD
Alarm I/O port	Minimum of 4 Input / 2 Output
Al Function by Recorder	supports atleast 2-channel face detection and recognition; 4-channel perimeter protection; 8 Channel SMD Plus
Al Function by Camera	Supports Face Detection and Recognition; Perimeter Protection; SMD Plus; Metadata; ANPR; Heat Map; and People Counting
Power Supply	100 - 240V AC, 50-60Hz
A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units)	
Power Supply	100 - 240V AC, 50-60Hz
No. of Ports	24
Port Rate	100Mbps
Inclusive	MIL-STD-810G With silicone rubber
A.4 - CCTV SERVER CABINET (16 units)	
Material	Steel
Coating	Powder Coated
Exhaust	Two (2) slots
Width	600mm
Depth	600mm
Height	2 Feet
B. ACCESS CONTROL SYSTEM	
B.1 - ACCESS CONTROL READER (16 units)	
Face Capacity	Minimum of 1,500
Fingerprint Capacity	

Revised Annex B of Form 10 (page 3 of 6) For Reference Only

Page 47

ID Card Capacity	Minimum of 2,000
Record Capacity	Minimum of 10,000
Network Connectivity	TCP/IP, USB Host
Features	UBS Flash disk 2.0 download
	Built-in back up battery
	Wieganda support
	With push function
	Supports mask detection
	Supports visitor QR Code with DSS Pro Platform
B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets)	
Surface Mount Magnetic Lock with at least 600 pounds of holding force	
LZ Bracket for Magnetic Lock	
U Bracket for Magnetic Lock	
AC Transformer with Back-up Battery 12VDC 7 AH	
Stainless steel Exit Button	
Emergency Break Glass	
C. ALARM SYSTEM	
C.1 - BURGLAR ALARM CONTROL PANEL (16 units)	
Power Supply 220 to 240V Hz	
Minimum of 10 Zones with Expansion capability of atleast 32 Zones	
with 12V/7AH Rechargeable Back-up Battery	
TET / / MIT MECHAI BEADIE DUCK UP DULLETY	
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission	
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission	ing
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission With keypad can carry various programming of the system sett Inclusive of accessories with min. requirements of siren with	ing
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission With keypad can carry various programming of the system sett Inclusive of accessories with min. requirements of siren with strobelight	ing
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission With keypad can carry various programming of the system sett Inclusive of accessories with min. requirements of siren with strobelight C.2 - MONEY CLIP (48 units)	ing
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission With keypad can carry various programming of the system sett Inclusive of accessories with min. requirements of siren with strobelight C.2 - MONEY CLIP (48 units) Single pole double throw contact	ing
With Capability of Centralized Monitoring Station Reporting via IP/GPRS Transmission With keypad can carry various programming of the system sett Inclusive of accessories with min. requirements of siren with strobelight C.2 - MONEY CLIP (48 units) Single pole double throw contact Recessed screw provided for easy mounting	
With Capability of Centralized Monitoring Station Reporting	

Revised Annex B of Form 10 (page 4 of 6) For Reference Only

Page 48

Output: NC, NO	
Tigger type: Normally open contact and normally close contact	
C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units)	
Construction: Solid Aluminum Bar	
Standard Structure: Reed Switch Bar	
Open and Closed circuit	
C.5 - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 units)	
Closed Electrical Configuration Normally Open	
Contact Resistance: 0.2 Ohms Gap	
Distance 1032: Up to 5/8 in. 1032W: Up to 1 in.	
Lead Type 1FT: #22 wire housing flame retardant abs plastic	
color white and gray	
C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (80 units)	
Current Consumption: quiescent 6mA Contact rating 5V/100 Ma	
Power Supply: 8-15V Current consumption 10mA Range	
radius: Concrete 4m,seetl 3m, Wood 2m	
Led Indicators: yes Tamper 25V/100 mA Operating	
Temperature -20 - +50 C Housing protection IP31	
C.7 - EMERGENCY BUTTON WITH BUZZER (16 units)	
ABS Platic Contact Mode: COOM., N/O Rated	
Current: 300 Rated Voltage: (VDC) 250 Indicator Light (Red color)	
C.8 - ELECTRONIC SIREN (16 units)	
Voltage 12DC with Metal box block coated with tamper switch	
C.9 - STROBELIGHT (16 units)	
Color red voltage power 12VDC candela 15 infrared red light blinker	
C.10 - INDICATOR LIGHT (16 units)	
12 volts power input	
C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units)	
Current consumption, quiescent	

Revised Annex B of Form 10 (page 5 of 6) For Reference Only

Page 49

Procurement of One (1) Lot Supply, delivery, installation, mounting, termination, testing and commissioning of Closed-Circuit Television Surveillance (CCTV), Biometric Access and Anti-intrusion Burglary Alarm Systems for Sixteen (16) DBP Metro Manila Branches.

Power Input: 6 Ma Contacting rating: 12 v/100 mA	
Current consumption 5mA	
Power Supply: 8-15V Range: Concrete 4mm, Steel 3mm, Wood 2mm	,
LED indicator: Yes Tamper: 12V/100 Ma	
Housing protection: IP31	
C.12 - PIR MOTION SENSOR (32 units)	
Input Power: 12V DC/AC Current	
Switching Type: normally open and close contact detecting 12 deg.	
Timer Adjustment on time	
Adjustable "ambient light level"	
Control sensitivity: ng: about 5 Lux Upward	
Meter: Adjustable " Sensitivity" (Detecting range) of sensor	
C.13 – FOOT RAIL SWITCH (32 Units)	

D. DESKTOP COMPUTER WITH ALARM/CCTV/ACCESS CONTROL MANAGEMENT SOFTWARE

D.1 - DESKTOP PC with Access Control and CCTV System Management Software (16 Sets)	
Processor	Minimum of Intel core i7- 13700/13700K/13700T/ 13700KF
	(13th Gen, 2.10Ghz up to 4.0 Ghz Max turbo, 16 cores, 24 Threads
Memory	Minimum of 32GB (2X16GB) DDR5 4800 Memory (4 Slots)
Hard disk capacity	Minimum of One (1) Terabyte SSD NvMe M.2
Graphics and Video Controller	Minimum of 1gb integrated/on- board/dedicated
Audio Controller	On-board audio controller
Monitor	Minimum of 24" color led standard Monitor (wide) with 1920 x 1080 resolution
Keyboard/Mouse	USB Soft-touch 101 enchanced keyboard/ usb optical scroll mouse
Multimedia	Internal speaker

Revised Annex B of Form 10 (page 6 of 6) For Reference Only

Page 50

OPERATING SYSTEM	With pre-installed Windows 11 Professional 64-bit must have compatible
	part drivers for Windows 10
MANAGEMENT SOFTWARE	Alarm / Access Control / CCTV System Management Software
E. 2 x External Hard Drive (8TB) Compatible with NVR (32 pcs)	
F. INSTALLATION AND MISCELLANEOUS MATERIALS	
F.1 - CAT5e UTP CABLE to include Conduits and Miscellaneous Materials (16 Branches)	
F.2 - LABOR CHARGE for the installaion, Configuration, Testing and Commissioning (16 Branches)	

REVISED FORM 12-A

SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING, AND COMMISSIONING OF ONE (1) LOT CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS, AND ANTI-INTRUSION BURGLARY ALARM SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES - REBID

Bid Reference No. G-2024-44

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

Name	e of Bidder			V	Proje	ct ID No		Page _	_of
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXWp er item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+ 8)	Total Price delivered Final Destination (col 9) x (col 4)

Detailed Financial Bid, must include, such as, but not limited to:

ITEM	DESCRIPTION	QTY
1	A.1 - DOME TYPE CAMERA (190 units)	190
2	A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)	16
3	A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units)	16
4	A.4 - CCTV SERVER CABINET (16 units)	16
5	B.1 - ACCESS CONTROL READER (16 units)	16
6	B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets)	16
7	C.1 - BURGLAR ALARM CONTROL PANEL (16 units)	16
8	C.2 - MONEY CLIP (48 units)	48
9	C.3 - HOLD-UP BUTTON (160 units)	160
10	C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units)	32
11	C.5 - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 units)	48
12	C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (96 units)	96
13	C.7 - EMERGENCY BUTTON WITH BUZZER (16 units)	16
14	C.8 - ELECTRONIC SIREN (16 units)	16
15	C.9 - STROBELIGHT (16 units)	16
16	C.10 - INDICATOR LIGHT (16 units)	16
17	C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units)	16
18	C.12 - PIR MOTION SENSOR (32 units)	32
19	C.13 - FOOT RAIL SWITCH (32 units)	32
20	D.1 - DESKTOP PC with Access Control and CCTV System Management Software (16 Sets)	16
21	E.1 - CATSe UTP CABLE to include Conduits and Miscellaneous Materials (16 Branches)	16
22	E.2 - LABOR CHARGE for the installaion, Configuration, Testing and Commissioning (16 Branches)	16

The total bid must not exceed the total ABC and must be consistent with the financial bid per FORM 11.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of: _	

REVISED FORM 12-B

SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING, AND COMMISSIONING OF ONE (1) LOT CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS, AND ANTI-INTRUSION BURGLARY ALARM SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES - REBID

Bid Reference No. G-2024-44

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

2							
	3	4	5	6	7	8	9
Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIPnamed place (specify border point or place of destination)	Total CIFor CIPprice per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit priceDelivere d Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)
	Description	Description Country of origin	Description Country of origin Quantity	of origin port of entry (specify port) or CiPnamed place (specify border point or place of	of origin port of entry (specify port) or CIPprice CIPnamed place per item (specify border (col. 4 x point or place of 5)	of origin port of entry (specify port) or CIPprice CIPnamed place per item (specify border (col. 4 x point or place of 5)	of origin port of entry (specify port) or CIPprice CIPnamed place (specify border point or place of 5) Delivered Duty Unpaid (DDU) price Delivere (DDU) (DDP)

Detailed Financial Bid, must include, such as, but not limited to:

ITEM	DESCRIPTION	QTY
1	A.1 - DOME TYPE CAMERA (190 units)	190
2	A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)	16
3	A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units)	16
4	A.4 - CCTV SERVER CABINET (16 units)	16
5	B.1 - ACCESS CONTROL READER (16 units)	16
6	B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets)	16
7	C.1 - BURGLAR ALARM CONTROL PANEL (16 units)	16
8	C.2 - MONEY CLIP (48 units)	48
9	C.3 - HOLD-UP BUTTON (160 units)	160
10	C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units)	32
11	C.5 - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 units)	48
12	C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (96 units)	96
13	C.7 - EMERGENCY BUTTON WITH BUZZER (16 units)	16
14	C.8 - ELECTRONIC SIREN (16 units)	16
15	C.9 - STROBELIGHT (16 units)	16
16	C.10 - INDICATOR LIGHT (16 units)	16
17	C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units)	16
18	C.12 - PIR MOTION SENSOR (32 units)	32
19	C.13 - FOOT RAIL SWITCH (32 units)	32
20	D.1 - DESKTOP PC with Access Control and CCTV System Management Software (16 Sets)	16
21	E.1 - CATSe UTP CABLE to include Conduits and Miscellaneous Materials (16 Branches)	16
22	E.2 - LABOR CHARGE for the installaion, Configuration, Testing and Commissioning (16 Branches)	16

The total bid must not exceed the total ABC and must be consistent with the financial bid per FORM 11.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING, AND COMMISSIONING OF ONE (1) LOT CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS, AND ANTI-INTRUSION BURGLARY ALARM SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES - REBID

Bid Reference No. G-2024-44

TRANSMITTAL FORM

CHECKLIST OF REQUIREMENTS FOR BIDDERS

Note: Please fill-out this form and submit directly to the BAC Secretariat outside of the sealed envelopes.

	FOR MACHINE STAMP (OFFICIAL TIME) BY THE DBP BAC SECRETARIAT				
	Received:				
Name of Bi	dder:				
Complete A	address:				
l andline.	py: Email:				
Lunumio.	L.IIIAII.				
Item	FIRST ENVELOPE: ELIGIBILITY DOCUMENTS AND TECHNICAL REQUIREMENTS (DULY SEALED AND MARKED)				
LEGAL	ELIGIBILITY DOCUMENTS				
	If the bidder is a joint venture (JV):				
	a. <u>If bidding as a formed JV</u> : Submit the existing valid, duly accomplished, signed and notarized JV Agreement (JVA). The JVA must specifically indicate among others, the following: the partner company that will represent the JV, the shareholdings of each partner company in the JV (to determine which partner company and its nationality has the controlling majority share), and the share of each partner company in the JV.				
	Moreover, please likewise note:				
TAB 1	 If the JV is incorporated or registered with the relevant government agency all documents listed in this checklist must be under the JV's name and shall submit the PhilGEPS Certificate of Registration under Platinum Category a under the JV's name. 				
	2) If the JV is unincorporated, the PhilGEPS Certificate of Registration under Platinum Membership shall be submitted by each of the JV partners, while submission of the technical and financial eligibility documents (Tab 4 onwards) by any one of the JV partners constitutes collective compliance.				
	b. If bidding as a JV that is yet to be formed: Submit duly notarized Agreement to Enter into Joint Venture (Template per FORM 1). Please likewise note:				
	PhilGEPS Certificate of Registration under Platinum Membership shall be submitted by each of the JV partners, while submission of the technical and financial documents (Tab 4 onwards) by any one of the JV partners constitutes collective compliance.				

FIRST ENVELOPE: ELIGIBILITY DOCUMENTS AND TECHNICAL REQUIREMENTS Item (DULY SEALED AND MARKED) Please refer to FORM 1-A and FORM 1-B for the sample Secretary's Certificate for each of the JV Partners. Each JV partner must submit its duly notarized Special Power of Attorney or Secretary's Certificate, whichever is applicable, indicating therein the following: 1. The designated/authorized representative who will sign the Joint Venture Agreement (JVA) or the Protocol to Enter into a JVA: That they are duly authorized to participate in the bidding as a JV; The authorized Lead Company to represent the JV; 4. The person designated as the duly authorized representative of the JV to participate in the bidding, sign the bid proposals/bidding documents and sign the ensuing contract with DBP. In case a JV partner is sole proprietorship and the proprietor opts to designate a representative, FORM 2-A shall be customized to include provisions such as the authority to sign the Protocol/Undertaking to Enter a JVA. Proof of appointment/authority of bidder's representative: a. Duly notarized Special Power of Attorney (if the bidder is a sole proprietorship and opts to designate a representative) - Template per FORM 2-A OR b. Duly notarized Secretary's Certificate (if the bidder is a corporation, partnership, cooperative or joint venture), if the bidder is a corporation - Template TAB 2 per FORM 2-B In case there are more than one appointed/designated representatives, bidders must tick ONE of the checkboxes provided in the form to identify if acting ANY ONE OF THE SIGNATORIES, ALL OF THE SIGNATORIES, or ANY (NUMBER) OF THE SIGNATORIES. FAILURE TO TICK A CHECKBOX SHALL MEAN THAT ALL AUTHORIZED REPRESENTATIVES MUST SIGN THE BIDDING FORMS. Valid and current Certificate of PhilGEPS Registration (Platinum Membership), in three (3) pages, including Annex "A" or the List of Class "A" Eligibility Documents required to be uploaded and maintained current and updated in PhilGEPS in accordance with section 8.5.2. of the IRR of RA 9184. TAB 3 Only the current/updated Certificate of PhilGEPS Registration (Platinum Membership) shall be accepted during the opening of bids. Expired Certificate or any of the Eligibility Documents listed in Annex "A" shall be a ground for failure of the bidder. Following are the related provisions/requirements based on GPPB Resolution 15-2021 dated 14 October 2021 regarding submission of valid/current PhilGEPS Certificate of Registration (Platinum

Membership):

LIFT the suspension on the implementation of mandatory submission of the PhilGEPS Certificate of Registration (Platinum Membership) in Competitive Bidding and Limited Source Bidding, thus, fully enforcing Sections 8.5.2 and 54.6 of the 2016 revised IRR of RA No. 9184 starting 01 January 2022;

Item

FIRST ENVELOPE: ELIGIBILITY DOCUMENTS AND TECHNICAL REQUIREMENTS (DULY SEALED AND MARKED)

- AMEND Sections 23.1(a)(ii) and 24.1(a)(ii) of the 2016 revised IRR of RA No. 9184 to reflect that the submission of the recently expired Mayor's Permit together with the official receipt as proof that the prospective bidder has applied for renewal within the period prescribed by the concerned local government unit shall be accepted by the PhilGEPS for the purpose of updating the PhilGEPS Certificate of Registration (Platinum Membership) in accordance with Section 8.5.2 of the 2016 revised IRR of RA 9184.

TECHNICAL ELIGIBILITY DOCUMENTS

Statement by the bidder of **ALL** its <u>ongoing</u> government and/or private contracts (<u>including those awarded but not yet started</u>, if any), whether similar or not similar in nature and complexity to the contract to be bid (include all contracts with the DBP for the said period, if any (*Template per FORM 3*), duly signed by the bidder's authorized representative.

TAB 4

Note: For bidders who have no ongoing government and/or private contracts, kindly indicate in their statement "NONE" to comply with the requirement. Bidders will be rated "failed" if no document is submitted or if the document submitted is incomplete or patently insufficient (per GPPB NPM 094-2013 dtd. 2013-12-19).

Copies of the NOA, contract, NTP, or equivalent document for each ongoing contract listed in the statement shall be required to be <u>submitted as part of post-qualification</u> of the bidder declared as the Lowest or Single Calculated Bid.

Statement of single completed contract of similar nature (government or private contract) within the last five (5) years equivalent to at least fifty percent (50%) of the ABC of the item being bid, (*Template per REVISED FORM 4* as attached in the Supplemental Bid Bulletin No. 2 dated 4 December 2024), duly signed by the bidder's authorized representative.

Similar contract refers to supply, delivery and installation of CCTV surveillance system and/or biometric access, and an anti-intrusion burglar alarm system.

The identified single largest completed contract must be supported by the following:

TAB 5

a) Notice of Award (NOA), OR Notice to Proceed (NTP), OR Contract, OR Purchase Order (PO)

AND

- b) Any one of the following documents:
 - Copy of Certificate of Completion <u>or</u> Certificate of Acceptance <u>or</u> Certificate of Satisfactory Performance issued by the bidder's client. <u>OR</u>
 - Copy of Official Receipt/s or Sales Invoice/s issued by the bidder to the client (ORs/SIs must sum up to the full amount of total contract price of completed project).

FINANCIAL ELIGIBILITY DOCUMENTS

TAB 6

Completely accomplished computation of Net Financial Contracting Capacity (NFCC) which must be at least equal to the ABC (*Template per FORM 5*), duly signed by the bidder's authorized representative.

 The values of the bidder's current assets and current liabilities shall be based on the AFS for CY 2023;

SUPPLEMENTAL BID BULLETIN NO. 2 (4 December 2024)
BID REFERENCE NO. G-2024-44: ONE (1) LOT SUPPLY, DELIVERY, INSTALLATION, MOUNTING, TERMINATION, TESTING AND
COMMISSIONING OF CLOSED-CIRCUIT TELEVISION (CCTV) SURVEILLANCE, BIOMETRIC ACCESS AND ANTI-INTRUSION BURGLARY ALARM
SYSTEMS FOR THE SIXTEEN (16) METRO MANILA BRANCHES OF THE DEVELOPMENT BANK OF THE PHILIPPINES- REBID
(ABC: Php 7.816.400.00 inclusive of all applicable taxes)

FIRST ENVELOPE: ELIGIBILITY DOCUMENTS AND TECHNICAL REQUIREMENTS Item (DULY SEALED AND MARKED) The value of the NFCC must at least be equal to the ABC of this project. IN case of Joint Venture, the partner responsible to submit the NFCC shall likewise submit the Statement of all its ongoing contracts and the Latest Audited Financial Statements. If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank. **TECHNICAL COMPONENT** Original Bid Security issued in favor of the Development Bank of the Philippines (must be valid for at least 120 calendar days from the date of bid opening); any one of the following is acceptable: a. Cashier's/manager's check issued by a Universal or Commercial Bank (at least 2% of ABC): b. Bank draft/guarantee or irrevocable letter of credit issued by a Universal bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank (at least 2% of ABC); c. Surety bond callable upon demand, issued by a surety or insurance company (at least 5% of ABC) and a copy of Certificate issued by the Insurance Commission certifying that the surety or insurance company is authorized to issue a surety bond; d. Duly notarized Bid Securing Declaration (Template per FORM 6) duly signed by the bidder's authorized representative. TAB 7 Cashier's/ Approved Budget Manager's check, Rid Surety bond for the Contract Bank draft/ quarantee Securina (5% of ABC) (ABC) or irrevocable letter of Declaration credit (2% of ABC) No required 7,816,400.00 156,328.00 390,820.00 percentage The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the bidder shall enter into contract with the Procuring Entity and furnish the performance security required under ITB Clause 31, within ten (10) calendar days from receipt of the Notice of Award, and commits to pay the corresponding amount as fine, and be suspended for a period of time from being qualified to participate in any government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB. Accomplished Omnibus Sworn Statement (with ten [10] statements) (Template per TAB 8 FORM 7), duly signed by the bidder's authorized representative and notarized. Accomplished Data Privacy Consent Form per FORM 8, duly signed by the TAB 9 bidder's authorized representative.

Item	FIRST ENVELOPE: ELIGIBILITY DOCUMENTS AND TECHNICAL REQUIREMEN (DULY SEALED AND MARKED)					
TAB 10	Accomplished Certificate of Conformance to the Scope of Service/Terms of Reference per FORM 9, duly signed by the bidder's authorized representative.					
	The complete Revised Scope of Services/Terms of Reference, its specifications are also attached as <i>REVISED FORM 10</i> for reference as attached in the Supplemental Bid Bulletin No. 2 dated 4 December 2024.					
TAB 11	List of key personnel which must include a project coordinator to be assigned to the project if awarded the contract, duly signed by the bidder's authorized representative.					
TAB 12	Certificate of Completion from three (3) previous clients/customers: - with a rating of at least "Satisfactory" OR a Certificate of Acceptance of at least three (3) projects for the Supply, Delivery and Installation of CCTV System; - within the last ten (10) years (subject to validation of the Procuring Entity)					
TAB 13	List of bidder's service center with at least one (1) located within Metro Manila, duly signed by the bidder's authorized representative. Outsourcing or sub-contracting is not allowed.					
	a. CCTV surveillance equipment: i. NVR ii. CCTV camera iii. POE Switch iv. NVR Hard Disk Drive					
TAB 14	b. Access Control System Access Control Reader					
	c. Alarm System Burglar Alarm Control Panel					
	d. Desktop PC e. External Hard Drive					
TAB 15	Certificate from the manufacturer for the brand of CCTV being offered stating that the bidder is a reseller or distributor.					

Item	SECON	D ENVELOPE: FINANCIAL PROPOSAL (DULY SEALED AND	MARKED
TAB 1	Duly accomplished Financial Proposal Form (<i>Template per FORM 11</i>), duly signe by the bidder's authorized representative. Note: Total bid shall not exceed the ABC of PhP 7,816,400.00, inclusive of taxe		
	FORM 1	Financial Proposal/Price Schedule duly signed by the bidder's zed representative. Bidders shall use either REVISED FORM [2-B] as template. Financial Bid, must include, such as, but not limited to:	
	ITEM		OTV
	1	A.1 - DOME TYPE CAMERA (190 units)	QTY 190
	2	A.2 - 16-CHANNEL NETWORK VIDEO RECORDER with 2 units 8 TB HDD (16 units)	16
	3	A.3 - POWER INTERFACE SWITCH FOR POWER OVER ETHERNET (16 units)	16
	4	A.4 - CCTV SERVER CABINET (16 units)	16
	5	B.1 - ACCESS CONTROL READER (16 units)	16
	6	B.2 - ACCESS CONTROL SYSTEM ACCESSORIES (16 sets)	16
	7	C.1 - BURGLAR ALARM CONTROL PANEL (16 units)	16
	8	C.2 - MONEY CLIP (48 units)	48
	9	C.3 - HOLD-UP BUTTON (160 units)	160
	10	C.4 - HEAVY DUTY MAGNETOC DOOR CONTACT for VAULT DOOR (32 units)	32
TAB 2	11	C.5 - MAGNETIC DOOR CONTACT RECESSED TYPE for ENTRY/EXIT DOORS (48 units)	48
	12	C.6 - DIGITAL VIBRATION CONTACT FOR VAULT/ WALL/ FLOORING/ CEILING (96 units)	96
	13	C.7 - EMERGENCY BUTTON WITH BUZZER (16 units)	16
	14	C.8 - ELECTRONIC SIREN (16 units)	16
	15	C.9 - STROBELIGHT (16 units)	16
	16	C.10 - INDICATOR LIGHT (16 units)	16
	17	C.11 - DIGITAL AUTO TELEPHONE DIALER (16 units)	16
	18	C.12 - PIR MOTION SENSOR (32 units)	32
	19	C.13 - FOOT RAIL SWITCH (32 units)	32
	20	D.1 - DESKTOP PC with Access Control and CCTV System Management Software (16 Sets)	16
	21	E.1 - CAT5e UTP CABLE to include Conduits and Miscellaneous Materials (16 Branches)	16
	22	E.2 - LABOR CHARGE for the installaion, Configuration, Testing and Commissioning (16 Branches)	16