Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

12184326

Procuring Entity

DEVELOPMENT BANK OF THE PHILIPPINES - BBG - NORTHERN MINDANA

Title

SUPPLY, DELIVERY, INSTALLATION, TESTING, PROGRAMMING AND COMMISSIONING OF

NETWORK VIDEO RECORDER

Area of Delivery

Lanao Del Norte

Solicitation Number:	2025 ILI 006	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	2
Classification:	Goods	Bid Supplements	0
Category:	Security Surveillance and Detection Equipment		
Approved Budget for the Contract:	PHP 250,000.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	03/07/2025
Contact Person:	Richele S. Joloyohoy		
	BAC Secretariat Tirso Neri St. corner Corrales Ave. Cagayan De Oro City Misamis Oriental	Last Updated / Time	02/07/2025 11:52 AM
	Philippines 9000 63-088-8572088	Closing Date / Time	11/07/2025 15:00 PM
	nmbg@dbp.ph		

Description

Kindly refer to attached Technical Specifications

Other Information

For additional information, please contact Ms Nora Q. Lagrosas (Admin Assistant, DBP Iligan Branch)

Created by

Richele S. Joloyohoy

Date Created

02/07/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

REQUEST FOR QUOTATION

Date	of	Post	ing/(Canva	ess
	-	300			

: Wednesday, July 2, 2025

Date of Last Submission Solicitation Number

Friday, July 11, 2025 : 2025 ILI 006

Procuring Entity

: DBP Iligan Branch

Title

SUPPLY, DELIVERY, INSTALLATION, TESTING, PROGRAMMING AND COMMISSIONING OF

NETWORK VIDEO RECORDER

Area of Delivery

: DBP Building, Picardal Rd., Mahayahay, Iligan City

Procurement Mode

Negotiated Procurement - Small Value Procurement (Sec. 53.9)

Classification

Goods - General Support Services

Category

Security Surveillance and Detection Equipment

Approved Budget

250,000.00

Delivery Period

· 30 dave

Item No.	Item and Description	Quantity	Unit/s	Unit Price	Total Price
4	Supply, Delivery, Installation, Testing, Programming and Commissioning of Network Video Recorder (kindly refer to attached Technical Specifications)	1	Lot		
	NOTHING FOLLOWS				
	Total Amount				

Please quote your lowest price on the item/s stated above, subject to the general conditions below.

(Sgd.) AM MELVIN O. TABALBAG	
Branch Head	

After having carefully read and accepted your general conditions, I/We quote you on the item(s) at prices noted above.

General Conditions & Requirements:

- All Entries must be typewritten/legibly written
- Price quotation must be based on the Technical Specifications (TS), Terms of Reference (TOR) / Scope of Work/Services (SOW), as applicable and must be duly signed by the supplier's representative.
- Price quotation (Unit Cost) must be inclusive of VAT and other applicable taxes/charges.
- Price offered shall not be subject to any increase for whatever reason including in cases of devaluation/inflation during the entire duration of the contract
- Price quotation with incomplete documentary requirement shall not be considered for evaluation.
- Signed copy of this RFQ by the supplier's authorized representative should be attached with the submitted proposal.
- Partial bids are allowed.
- Mode of submission of quotation: Open.

Quotation must include the documentary requirements below:

- [] Proof of PhilGEPS Registration;
- [] Mayor's/Business permit for the current year;
- [] Omnibus Sworn Statement (For ABC's above P50K); Secretary's Certificate
- (If Partnership/Corporation)
- [] Business/Income Tax Return (For ABC's above P500K);
- [] Samples/Brochure/Data Sheet, as necessary and/or other documents as specified in the TOR/ sow/Ts;
- [] Statement of Government &/or Private Contracts Completed which are Similar in Nature
- No down-payment or advanced payment.
- Payment shall be processed after completion of delivery, subject to complete documents for payment (i.e) Billing/ Statement of Account).
- For every day of delivery delay, 1/10 of 1% of the price of the undelivered quantity shall be deducted from the payment.

- DBP has the right to reject delivery if item/s deliver	ed were found to be defective and/or not accor	din
to the required specifications.		

	Printed Name/Signature
	Tel.No./Cell No./e-mail Address
	Company Name
	Address
Date:	Address

DEVELOPMENT BANK OF THE PHILIPPINES (DBP)

TECHNICAL SPECIFICATIONS

Supply, Delivery, Installation, Testing, Programming and Commissioning of Network Video Recorder (NVR) Small Value Procurement

- Approved Budget for the Contract: ₱ 250,000.00 (inclusive of all applicable taxes and other charges)
- II. Technical Specifications: per attached specifications (Annex A)
- III. Conditions of the Contract:
 - The Supplier shall ensure that the items delivered are in accordance with the specifications required by the DBP. DBP has the right to reject the delivery if the item/s delivered were found to be defective and not according to the required specifications.
 - The DBP may terminate/cancel the Purchase Order (PO) when the Supplier fails to deliver, perform, and comply with its obligation.
 - Delivery Period: The Supplier shall deliver the items within thirty (30) calendar days after the receipt of Notice to Proceed (NTP).

Point of Delivery:

Address	Contact No.	No. of Lots
DBP Iligan Branch Picardal Road, Mahayahay Iligan City		
Email: iligan@dbp.ph	(063) 221-2858 (063) 221-8208	1
Contact person: Ms. Nora Q. Lagrosas Administrative Assistant		

Warranty: At least one (1) year warranty upon acceptance of items by DBP.

The Supplier warrants that the Goods supplied under the Contract are new, unused, and free from defects.

- 5. Retention: The obligation of the warranty shall be covered by a retention money equivalent to 3% of the total contract price. The retention money shall only be released three (3) months after completion of delivery while the remaining warranty period shall be covered by a Warranty Certificate. Provided, however, that the items are free from patent and latent defects and all the conditions imposed under the contract have been fully met.
- DBP shall promptly notify the Supplier in writing of any claims arising under the warranty (Notice of Defects). Upon receipt of such notice, the Supplier shall, within the period of ten (10) calendar days and with all reasonable speed, repair or replace the defective item or parts thereof, without cost to the Bank.

IV. Documentary Requirements:

Interested Supplier/s must submit the following documents:

- a. Signed Proposal/Quotation
- b. Proof of PhilGEPS Registration
- c. 2025 Mayor's/Business Permit
- d. Notarized Omnibus Sworn Statement signed by owner / authorized representative
- e. For sole proprietorship, duly notarized Special Power of Attorney, if to designate a representative.
- f. For contractor/supplier under partnership/corporation, Secretary's Certificate
- g. Signed Request for Quotation (RFQ)

V. Payment:

- A one-time full payment shall be processed after the completion of the project subject to submission of the following complete documents for payment:
 - Letter of Request for Payment, or Billing Statement
 - Statement of Work Accomplishment
 - Contractor's Affidavit
 - Project Pictures
 - Certificate of Completion/Acceptance
- For every day of delay, 1/10 of 1% (0.001) of the price of undelivered item/s shall be deducted from the payment, in case the Supplier fails to deliver the items on time.
 Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of PO/NTP, DBP may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it.
- 3. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, DBP may terminate the contract or allow the contractor to continue the works without prejudice to the continued imposition of liquidated damages until the works have been completed. This does not, however, preclude DBP in resorting to Termination of Contract under Annex I of the 2016 revised IRR of RA No. 9184.

Prepared by:

Approved by:

(signed)

NORA Q. LAGROSAS

Admin Assistant

(signed)

AM MELVIN O. TABALBAG

Head, Iligan Branch

(signed)

ROSEMARIE P. PAGUNSAN

Branch Services Officer

STANDARD TECHNICAL SPECIFICATIONS CCTV Surveillance System

Components/Particulars	Specifications	
	16-Channel 32-Channel	
1. 5MP Dome Type Camera		
- Camera Resolution	: 5MP @ 20fps, 4MP @25/30fps	
- Built-in IR LED	: Yes	
- Lens Type	: Fixed-focal	
- Focal Length	: 2.8mm; 3.6mm ⁽¹⁾	
- Feature	: Motion Detection(2)	
- Network	: Open Network Video Interface (ONVIF)	
- Power Supply	: 12V DC/PoE	
- Protection	: Not less than IP66	
- Inclusive	: Junction box, mounting bracket/s, of accessories necessary to operate the camer	
2. 5MP Bullet Type Camera		
- Camera Resolution	: 5MP @ 20fps, 4MP @25/30fps	
- Built-in IR LED	Yes	
- Lens Type	: Fixed-focal	
- Focal Length	: 2.8mm; 3.6mm ⁽³⁾	
- Feature	: Motion Detection(4)	
- Network	: Open Network Video Interface (ONVIF)	
- Power Supply	12V DC/PoE	
- Protection	Not less than IP66	
- Inclusive	: Junction box, mounting bracket/s, ot	
3. Network Video Recorder w/ Internal HDD	accessories necessary to operate the camer	
- Capacity	: To meet 60 days' real-time retention period - Interface : SATA - Cache : ≥ 256MB - Transfer Rate : ≥ 230MB/s - Operating Temp.: ≤ 65°C	
- SATA Port	≥ 4 SATA ports, ≥ 8TB per disk	
- Channel Playback	: 16-Channel 32-Channel	
- Resolution	: 5MP	
- Video Output	: HDMI and VGA	
	TO A POST TIME OF THE PARTY OF	
- Video Compression	: H.265+/H.265	
- Video Compression	: H.265+/H.265 : Yes	
Video Compression Multi-screen Display	: H.265+/H.265	
- Video Compression - Multi-screen Display - Network - Power Supply	: H.265+/H.265 : Yes : Open Network Video Interface (ONVIF)	
- Video Compression - Multi-screen Display - Network - Power Supply - Back-up External Hard Drive w/ Attached	H.265+/H.265 Yes Open Network Video Interface (ONVIF) 100 to 240V AC, 50/60 Hz To meet 60 days' real-time retention period Interface : SATA Cache :≥ 256MB Transfer Rate :≥ 230MB/s	
- Video Compression - Multi-screen Display - Network - Power Supply - Back-up External Hard Drive w/ Attached Storage - Capacity	H.265+/H.265 Yes Open Network Video Interface (ONVIF) 100 to 240V AC, 50/60 Hz To meet 60 days' real-time retention period Interface : SATA Cache :≥ 256MB Transfer Rate :≥ 230MB/s Operating Temp.: ≤ 65°C	
Video Compression Multi-screen Display Network Power Supply Back-up External Hard Drive w/ Attached Storage	H.265+/H.265 Yes Open Network Video Interface (ONVIF) 100 to 240V AC, 50/60 Hz To meet 60 days' real-time retention period Interface : SATA Cache :≥ 256MB Transfer Rate :≥ 230MB/s	

Annex A, page 2 of 2

5. Wall-mounted 9U CCTV Cabinet		
- Color	1	Black, powder-coated Finish
- Built-in fan	:	Yes
- Inclusive		Lock and keys, fixed trays, and other mounting
6. 32" CCTV Monitor		
- Display	:	LED backlight
- Resolution	:	≥ 1080P
- Inputs	:	1-VGA, 1-HDMI (minimum input)
- Aspect Ratio	:	16:9
- Power Supply	3:	100 to 240V AC, 50/60 Hz
- Inclusive	:	Standard mounting brackets and stand
7. Power over Ethernet (POE) Switch		
- No. of Ports	:	16 32
- Interface	3	. 100Mb/s ports
 Long Distance Transmission 		≥ 250m
- Power Supply	:	100 to 240V AC, 50/60 Hz
- Inclusive		Necessary accessories

¹ Focal length of 3.6mm for Dome Type to cover the following critical areas: vault/cash safe, tellers, ingress of main door, and ingress of back door while the Focal length of 2.8mm to cover the rest of the areas

² 24/7 recording for Dome Type in the vault/cash safe area. Additionally, Motion detection feature for Dome Type to all cameras except the above-mentioned 24/7 recording cameras

³ Focal length of 3.6mm for Bullet Type to cover the following critical areas: egrass of main door, and egrass of back door. Focal length of 2.8mm to cover the rest of the areas

⁴ 24/7 recording for Bullet Type to the following areas: egress of main door, and egress of back door. Additionally, Motion detection feature for Bullet Type to all cameras except the above-mentioned 24/7 recording cameras