

DBP REFERENCE BOOKLET

DBP GINGOOG BRANCH


AUGUST 06, 2025




We Build **Possibilities.**




MEASUREMENT IN MILLIMETER




NOTE: ALL DIMENSIONS ARE NON-STANDARD AND IS SUBJECT TO CHANGE BASED ON THE APPROVAL OF DBP-CORPORATE AFFAIRS DEPT.



ISOMETRIC



FRONT VIEW



SIDE VIEW

BACKWALL SPECIFICATIONS :

- MATTE FINISH VINYL STICKER ON 6mm DENT-RESISTANT SINTRA BOARD
- SIZE: REFER TO WORKING DRAWINGS
- FONT FOR "DBP" - FRIZ QUADRATA
- FONT FOR "We Build Possibilities" - HELVETICA REGULAR BLACK
- COLOR CODE:
FOR BACKGROUND: 3630-157 SULTAN BLUE
3630-73 DARK RED
COLOR FOR TEXT/FONT: WHITE

DBP LOGO SPECIFICATIONS

- SEE DETAILS LOGO DETAILS

NOTE:


- VERIFY ACTUAL MEASUREMENT PRIOR TO FABRICATION
- KINDLY OBSERVE PROPER SCALING (I.E. TEXT HEIGHT, TEXT SPACING)
- VINYL STICKER SHALL BE COMPUTER PRINTED



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S BACKWALL LOGO DETAIL




ELEVATION

SPECIFICATIONS:

MATERIAL : WOOD
COLOR : WHITE
PAINT : SEMI-GLOSS

FLAG MOUNTING INSTRUCTIONS:

GUNTUCKER SHOULD BE USED
WHEN MOUNTING THE FLAG
(DO NOT USE NAIL OR SCREW)




ISOMETRIC



ITEM: PHILIPPINE FLAG
MATERIAL: (FOR INTERNAL DISPLAY) COTTON, DOUBLE EMBROIDERED,
BACK TO BACK
(FOR EXTERNAL DISPLAY) SILK MATERIAL
SINGLE OR DOUBLE PATCHING
DIMENSION: 70 INCHES(WIDTH) x 30 INCHES(HEIGHT)

PHILIPPINE FLAG DETAIL



LOGO DIMENSION: 6 INCHES
STRICTLY PERFECT SQUARE ON ALL SIDES

MATERIAL:
0.25 PLYWOOD(SMOOTH)
TO BE ATTACHED AS EMBOSSED IMAGE

LOGO SHOULD BE PLACED ON ALL 4 OF THE
POLE BASE AT EACH CENTER
(HORIZONTALLY & VERTICALLY)


"A" – DBP LOGO DETAIL



We Build Possibilities.

DBP GINGOOG BRANCH

INTERIOR FLAGPOLE



ISOMETRIC






We Build Possibilities.

DBP GINGOOG BRANCH

SANDBOX

LEGEND:			
(A)	SERVER CPU	(E)	UPS
(B)	SERVER LCD MONITOR	(F)	DATA CABINET
(C)	PVC PULL-OUT KEYBOARD TRAY		
(D)	FAX/PRINTER/SCANNER		



(A)	SERVER CPU	(E)	UPS
(B)	SERVER LCD MONITOR	(F)	DATA CABINET
(C)	PVC PULL-OUT KEYBOARD TRAY		
(D)	FAX/PRINTER/SCANNER		



We Build Possibilities.

DBP GINGOOG BRANCH


SERVER/ DATA CABINET/ FAX SET UP




We Build Possibilities.

DBP GINGOOG BRANCH

SERVER TABLE DETAILS



TYPING TABLE ISOMETRIC



DATA CABINET ISOMETRIC

SPECIFICATION:

- H=950MM
W=550MM
D=580MM
- FRAMING & PANELLING GA#16
 - 19 STANDARD OPENING
 - PLEXIGLASS FRONT DOOR WITH LOCK
 - DETACHABLE EXHAUST SIDE PANEL WITH LOCK
 - FIXED TYPE BACK PANEL
 - WITH VERTICAL CABLE MANAGER AT THE BACK
 - 2 PCS. EXHAUST FAN AT THE TOP PANEL
 - 2 PCS. VENTILLATING FAN AT THE BOTTOM PANEL
 - HORIZONTAL POWERSTRIP 6 CONVINIENCE OUTLET 15AMPERES, 3PRONG, 220V (AT THE BOTTOM PART)
 - WITH 20 PCS. CAGENUT & SCREWS
 - BLACK POWDER COATED
 - RACK SHELVES



We Build Possibilities.

DBP GINGOOG BRANCH


TYPING TABLE & DATA CABINET DETAILS



PERSPECTIVE

NOTES:

1. VERIFY SIZE OF BROCHURE BEFORE FABRICATION OF ACRYLIC INSERTS.




ISOMETRIC OF ACRYLIC INSERTS



We Build Possibilities.


DBP GINGOOG BRANCH

POSTER STAND




FRONT

PLAN



ELEVATION



SIDE ELEVATION



We Build Possibilities.

DBP GINGOOG BRANCH

POSTER STAND




PERSPECTIVE




We Build Possibilities.

DBP GINGOOG BRANCH

GUARD'S PODIUM



PLAN




FRONT ELEVATION




We Build Possibilities.

DBP GINGOOG BRANCH



TYPICAL SIDE ELEVATION



TYPICAL SIDE ELEVATION



We Build Possibilities.


DBP GINGOOG BRANCH

GUARD'S PODIUM




VAULT DOOR


- STAINLESS STEEL FINISH. ALL EXPOSED
- BUILT-IN VENTILATOR – THE VENTILATOR IS BUILT INTO THE VAULT FRAME
- TIMELOCK
- GRILLE DAYGATE



ELEVATION



PLAN





SECTION




We Build Possibilities.

DBP GINGOOG BRANCH

VAULT DOOR DETAILS



		
MOSLER BRAND STAINLESS STEEL CLADDED VAULT DOOR, DUAL COMBINATION WITH INTEGRATED BREATHING TUBE OPENING	12MM.Ø VERTICAL SOLID BARS SPACED AT EVERY 100MM. WITH 6MM. X 20MM. HORIZONTAL PUNCHED FLAT BARS FRAME IN (BOYSEN BASIC BEIGE) ENAMEL PAINT FINISH	
1 SET	AS REQUIRED	
CASH VAULT	CASH VAULT	
AS PER MANUFACTURER’S SPECIFICATION (SEE DETAILS)	HINGES: FABRICATED METAL HINGES—PROVIDE 3 PCS. DOOR LOCKS: AS INDICATED	
We Build Possibilities.	DBP GINGOOG BRANCH	VAULT DOOR DETAILS



We Build Possibilities.

DBP GINGOOG BRANCH


SECRET DOOR DETAILS




We Build Possibilities.

DBP GINGOOG BRANCH

SECRET DOOR DETAILS



"D" - DETAIL




"C" - DETAIL

DBP GINGOOG BRANCH




We Build Possibilities.

SECRET DOOR DETAILS



ELEVATION




HEAD AND PANEL DETAIL




We Build Possibilities.

DBP GINGOOG BRANCH

FLUSH HOLLOW CORE(FHC) WOOD DOOR DETAILS



BASE DETAIL



JAMB DETAIL




We Build Possibilities.


DBP GINGOOG BRANCH

FLUSH HOLLOW CORE(FHC) WOOD DOOR DETAILS

USE WHITE ENAMEL FINISH



CASH VAULT OVERHEAD CABINET DETAILED SECTION



BACKROOM OVERHEAD CABINET DETAILED SECTION




We Build Possibilities.


DBP GINGOOG BRANCH

OVERHEAD CABINET DETAILS


USE WHITE ENAMEL FINISH




FINGER FULL DETAIL




CABINET DOOR DETAIL



CABINET EDGE TO
CABINET DOOR CONNECTION



WALL EDGE TO
CABINET DOOR CONNECTION



MID CABINET TO
CABINET DOOR CONNECTION




We Build Possibilities.


DBP GINGOOG BRANCH

OVERHEAD CABINET DETAILS


USE WHITE ENAMEL FINISH



PANTRY COUNTER WITH OVERHEAD CABINET SECTION



"A" DETAIL




"B" DETAIL




We Build Possibilities.

DBP GINGOOG BRANCH

OVERHEAD CABINET AND PANTRY COUNTER DETAILS




PLAN




We Build Possibilities.

DBP GINGOOG BRANCH

PANTRY KITCHEN COUNTER DETAILS



COUNTER
ATTACHED TO WALL



COUNTER
WITHOUT WALL ON BOTH SIDES




We Build Possibilities.


DBP GINGOOG BRANCH

OVERHEAD CABINET AND PANTRY COUNTER DETAILS


(ATTACHMENT TO CONCRETE SLAB)



HANGER ATTACHMENT DETAIL



TYP. GYPSUM BOARD CONNECTION TO WALL




COVE LIGHT DETAIL AT TELLERS BACKWALL




We Build Possibilities.

DBP GINGOOG BRANCH

CEILING DETAILS



HOMOGENOUS TILE DETAIL




TILING DETAIL AT TELLER'S PLATFORM



We Build Possibilities.

DBP GINGOOG BRANCH

FLOOR PAVING / TILING DETAILS




PERSPECTIVE



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S COUNTER (1400mm MODULE) DETAILS




BOTTOM PLAN



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S COUNTER (1400mm MODULE) DETAILS




LOWER COUNTERTOP PLAN



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S COUNTER (1400mm MODULE) DETAILS




UPPER COUNTERTOP PLAN



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S COUNTER (1400mm MODULE) DETAILS




FRONT ELEVATION



We Build Possibilities.

DBP GINGOOG BRANCH


TELLER'S COUNTER (1400mm MODULE) DETAILS



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S COUNTER (1400mm MODULE) DETAILS





We Build Possibilities.

DBP GINGOOG BRANCH


TELLER'S COUNTER (1400mm MODULE) DETAILS

NOTE :
USE 6MM. THK. CLEAR ACRYLIC FOR
ALL COMPONENTS OF PICOS TRAY




SECTION

PICOS TRAY DETAILS



ISOMETRIC-FORMS RACK




MONEY COUNTER MODULE



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S COUNTER ACCESSORIES DETAILS




PERSPECTIVE



We Build Possibilities.

DBP GINGOOG BRANCH


NAC / LOW COUNTER (1200mm MODULE) DETAILS



We Build Possibilities.

DBP GINGOOG BRANCH


NAC / LOW COUNTER (1200mm MODULE) DETAILS



We Build Possibilities.

DBP GINGOOG BRANCH

NAC / LOW COUNTER (1200mm MODULE) DETAILS



FRONT ELEVATION


LEGEND :
↓ SLOPE DIRECTION



We Build Possibilities.

DBP GINGOOG BRANCH

NAC / LOW COUNTER (1200mm MODULE) DETAILS



SECTION ALONG CPU



We Build Possibilities.

DBP GINGOOG BRANCH

NAC / LOW COUNTER (1200mm MODULE) DETAILS




PERSPECTIVE



We Build Possibilities.

DBP GINGOOG BRANCH

FORMS RACK / FORMS COUNTER




BOTTOM PLAN



We Build Possibilities.

DBP GINGOOG BRANCH

FORMS RACK / FORMS COUNTER




COUNTER TOP PLAN



We Build Possibilities.

DBP GINGOOG BRANCH

FORMS RACK / FORMS COUNTER



We Build Possibilities.

DBP GINGOOG BRANCH

FORMS RACK / FORMS COUNTER




PERSPECTIVE



We Build Possibilities.

DBP GINGOOG BRANCH

BRANCH HEAD WORKSTATION



ISOMETRIC



We Build Possibilities.

DBP GINGOOG BRANCH

BRANCH HEAD'S WORKSTATION DETAILS







PERSPECTIVE



We Build Possibilities.

DBP GINGOOG BRANCH

BRANCH HEAD'S BACK CABINET DETAILS
(WITHOUT SIDE RETURN)



We Build Possibilities.

DBP GINGOOG BRANCH

BRANCH HEAD'S BACK CABINET DETAILS
(WITHOUT SIDE RETURN)




PERSPECTIVE



We Build Possibilities.

DBP GINGOOG BRANCH

STAFF'S MODULAR WORKSTATION
(WITH RETURN TABLE)



SPECIFICATION:

PARTITION

- SHALL BE TILE-LOOKED SYSTEM
- FABRIC PANEL COLOR BLUE
- PARTITION SYSTEM ARE MODULAR INTERLOCKING 22 GAUGE STEEL PANELS; THICKNESS SHALL BE 50-60MM AND TRIMMINGS SHALL BE MADE OF ALUMINUM ALLOY IN POWDER COATED FINISH COLOR GRAY.

PANEL RACEWAY SHALL BE HOLLOW FOR PURPOSE OF RUNNING COMMUNICATION CABLES AND ELECTRICAL WIRING THROUGH THE PANEL. IT SHALL BE MADE OF METAL POWDER COATED (GRAY) IN APPROVED FINISH. PROVIDE CONVEBNIENCE OUTLET PUNCH HOLE .

WORK SURFACE

- WORK SURFACE SHALL BE OF MELAMINE PARTICLE BOARD.
- WORK SURFACES FOR THE COUNTER TOP WORKSTATION SHALL BE 25MM THK. EDGES SHALL BE PROVIDED WITH PVC EDGE BAND
- PROVIDE GROMMETS ON EVERY WORKSTATIONS FOR EASY CABLING.

OVERALL DIMENSION:


MAIN WORKTOP : 1500 X 600
SIDE RETURN : 900 X 450



We Build Possibilities.

DBP GINGOOG BRANCH

**STAFF'S MODULAR WORKSTATION DETAILS
(WITH SIDE RETURN)**



SPECIFICATION:

PARTITION

- SHALL BE TILE-LOOKED SYSTEM
- FABRIC PANEL COLOR BLUE
- PARTITION SYSTEM ARE MODULAR INTERLOCKING 22 GAUGE STEEL PANELS; THICKNESS SHALL BE 50-60MM AND TRIMMINGS SHALL BE MADE OF ALUMINUM ALLOY IN POWDER COATED FINISH COLOR GRAY.

PANEL RACEWAY SHALL BE HOLLOW FOR PURPOSE OF RUNNING COMMUNICATION CABLES AND ELECTRICAL WIRING THROUGH THE PANEL. IT SHALL BE MADE OF METAL POWDER COATED (GRAY) IN APPROVED FINISH. PROVIDE CONVEBNIENCE OUTLET PUNCH HOLE .

WORK SURFACE

- WORK SURFACE SHALL BE OF MELAMINE PARTICLE BOARD.
- WORK SURFACES FOR THE COUNTER TOP WORKSTATION SHALL BE 25MM THK. EDGES SHALL BE PROVIDED WITH PVC EDGE BAND
- PROVIDE GROMMETS ON EVERY WORKSTATIONS FOR EASY CABLING.


OVERALL DIMENSION:
MAIN WORKTOP : 1500 X 600



We Build Possibilities.

DBP GINGOOG BRANCH

**ADMIN ASSISTANT WORKSTATION DETAILS
(WITHOUT SIDE RETURN)**



SPECIFICATION:

PARTITION

- SHALL BE TILE-LOOKED SYSTEM
- FABRIC PANEL COLOR BLUE
- PARTITION SYSTEM ARE MODULAR INTERLOCKING 22 GAUGE STEEL PANELS; THICKNESS SHALL BE 50-60MM AND TRIMMINGS SHALL BE MADE OF ALUMINUM ALLOY IN POWDER COATED FINISH COLOR GRAY.

PANEL RACEWAY SHALL BE HOLLOW FOR PURPOSE OF RUNNING COMMUNICATION CABLES AND ELECTRICAL WIRING THROUGH THE PANEL. IT SHALL BE MADE OF METAL POWDER COATED (GRAY) IN APPROVED FINISH. PROVIDE CONVEBNIENCE OUTLET PUNCH HOLE .

WORK SURFACE

- WORK SURFACE SHALL BE OF MELAMINE PARTICLE BOARD.
- WORK SURFACES FOR THE COUNTER TOP WORKSTATION SHALL BE 25MM THK. EDGES SHALL BE PROVIDED WITH PVC EDGE BAND
- PROVIDE GROMMETS ON EVERY WORKSTATIONS FOR EASY CABLING.

OVERALL DIMENSION:
MAIN WORKTOP : 1500 X 600



We Build Possibilities.

DBP GINGOOG BRANCH

**STAFF'S MODULAR WORKSTATION DETAILS
(WITHOUT SIDE RETURN)**



BRANCH HEAD CHAIR

SPECIFICATION:

EXECUTIVE HIGH BACK CHAIR LEATHERETTE
CUSHION SEAT W/ MOULDED FOAM—CUSHION
UPHOLSTERED BACKREST; PADDED ARMREST; GAS
LIFT; CHROME PLATED STAR BASE; TILTING/SWIVEL
MECHANISM AND TWIN CASTER.

COLOR: BLACK

USED BY: BBG/PLG HEAD/BRANCH/LC HEAD



We Build Possibilities.

DBP GINGOOG BRANCH

BRANCH HEAD CHAIR



MID BACK CHAIR

SPECIFICATION:

FABRIC MOULDED-CUSHION UPHOLSTERED
BACKREST AND SEAT; W/ ARM REST; GAS LIFT;
TILTING/SWIVEL MECHANISM; FIVE (5) LEGGED
CHAIR W/ CASTER.

COLOR: BLUE

USED BY: JUNIOR OFFICER



We Build Possibilities.

DBP GINGOOG BRANCH

BSO / CASHIER CHAIR



TELLER'S CHAIR

SPECIFICATION:

MATERIALS: FABRIC MOULDED FOAM—CUSHION
UPHOLSTERED SEAT AND BACK REST; WITHOUT
ARMREST; GAS LIFT; TILTING/SWIVEL MECHANISM;
FIVE—LEGGED WITH FOOT RING; FIXED BASE

COLOR: TWILIGHT BLUE

NOTE: DESIGN SHOULD BE THE SAME OR SIMILAR AS
THE ATTACHED PHOTO



We Build Possibilities.

DBP GINGOOG BRANCH

TELLER'S HIGH CHAIR



NAC/STAFF CHAIR

SPECIFICATION:

MATERIAL: FABRIC MOULDED-CUSHION UPHOLSTERED BACKREST AND SEAT; WITH ARM REST; GAS LIFT; TILTING/SWIVEL MECHANISM; FIVE (5) LEGGED CHAIR WITH CASTER.

COLOR: TWILIGHT BLUE

NOTE: DESIGN SHOULD BE THE SAME OR SIMILAR AS THE ATTACHED PHOTO



We Build Possibilities.

DBP GINGOOG BRANCH

NAC / STAFF CHAIR



VISITOR'S CHAIR

SPECIFICATION:

MATERIALS: FABRIC MOULDED FOAM-CUSHION
UPHOLSTERED SEAT AND BACK; WITHOUT ARMREST;
GAUGE 18 STEEL WITH $\frac{5}{8}$ " ROUND-TUBULAR
CONSTRUCTION CHROME FINISH (SLED TYPE LEG) AND
POLY FLOOR GLIDES

COLOR: TWILIGHT BLUE

WEIGHT CAPACITY: MIN. OF 112 KGS

NOTE: DESIGN SHOULD BE THE SAME OR SIMILAR AS
THE ATTACHED PHOTO



We Build Possibilities.

DBP GINGOOG BRANCH

VISITOR'S CHAIR



4-SEATER GANG CHAIR

SPECIFICATION:

4-SEATER LEATHERETTE MOULDED FOAM CUSHION UPHOLSTERED BACKREST AND SEAT WITH ARMREST AND STEEL FRAME LEGS.

COLOR: BLACK LEATHERETTE AND MATTE SILVER FOR THE STEEL BASE

NOTE: DESIGN SHOULD BE THE SAME OR SIMILAR AS THE ATTACHED PHOTO



We Build Possibilities.

DBP GINGOOG BRANCH

4-GANG CHAIR



MOBILE PEDESTAL

SPECIFICATION:

MATERIALS: STEEL/POWDER COATED FINISH WITH CASTERS

FINISH: POWDER COATED WITH ANTI-RUST PROTECTION

FEATURES: RECESSED HANDLE WITH LOCK AND KEYS, BLACK PLASTIC DIVIDER AND TRAYS

COLOR: LIGHT GRAY

DIMENSION: 400MM (W) X 560MM (D) X 660MM (H)
SIZE TOLERANCE ($\pm$ 25.4MM IN EITHER DIRECTION)

NOTE: DESIGN SHOULD BE THE SAME OR SIMILAR AS THE ATTACHED PHOTO



We Build Possibilities.

DBP GINGOOG BRANCH

MOBILE PEDESTAL



3 DRAWER LATERAL FILE CABINET

SPECIFICATION:

MATERIALS: COLD-ROLLED STEEL PALTE GAUGE #20

FINISH: POWDER COATED WITH ANTI-RUST PROTECTION

FEATURES: RECESSED HANDLE, CENTRALIZED LOCKING SYSTEM WITH
BLACK PLASTIC DIVIDER PER DRAWER

COLOR: LIGHT GRAY

DIMENSION: 900MM (W) X 450MM (D) X 1060MM (H)
SIZE TOLERANCE ($\pm$ 25.4MM IN EITHER DIRECTION)

NOTE: DESIGN SHOULD BE THE SAME OR SIMILAR AS THE ATTACHED PHOTO



We Build Possibilities.

DBP GINGOOG BRANCH

3 DRAWER LATERAL FILE CABINET



ROUND TABLE

SPECIFICATION:

MATERIAL: 300MM THK. MDF COUNTERTOP IN HIGH PRESSURE LAMINATE (HPL) FINISH W/ PVC EDGING AND STAINLESS STEEL LEG (HAIRLINE FINISH).

COLOR: LIGHT GRAY

SIZE: 900MM DIAMETER




We Build Possibilities.

DBP GINGOOG BRANCH

ROUND TABLE


BOLTLESS AND ADJUSTABLE SHELVING SYSTEM



STANDARD OVER-ALL DIMENSION
72HEIGHT X 36WIDTH X 18DEPTH
WITH LOUVERS,ALUMINUM CARD HOLDER,
LOCK HASP & CHROME PLATED HANDLE
ON EACH DOOR
BEIGE COLOR

DOOR SIZE: 20H X 10W
WITH HANGER ROD, TOP
& BOTTOM SHELF

STEEL LOCKER ISOMETRIC



HEIGHT : 1840MM.
LENGTH : 900MM.
DEPTH : 400MM.
With 4 Shelf Levels
Capacity per Shelf :150 kgs

STEEL SHELVES






We Build Possibilities.

DBP GINGOOG BRANCH

STEEL LOCKER & ADJUSTABLE STEEL SHELVES DETAILS


MEASUREMENT IN MILLIMETER		266 210	
SPECIFICATION	6MM THICK SINTRA BOARD PROVIDE SUCTION CUPS COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	ATM SCREEN		
 		DBP GINGOOG BRANCH	TEMPORARILY UNAVAILABLE

MEASUREMENT IN MILLIMETER				
200  208 DOUBLE SIDED ADHESIVE TAPE  BACK				
SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED FONT STYLE: HELVETICA			
LOCATION	CUBICLE/DOOR			
 We Build Possibilities.		DBP GINGOOG BRANCH	AUTHORIZED PERSONNEL ONLY	





BACK


SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE		COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA
LOCATION			
 We Build Possibilities.		DBP GINGOOG BRANCH	FIRE EXTINGUISHER

MEASUREMENT IN MILLIMETER			
			
SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	TELLERS' COUNTER		
 		DBP GINGOOG BRANCH	TELLER'S COUNTER NUMBER

MEASUREMENT IN MILLIMETER





TYPICAL STANDEE ISOMETRIC




SIDE ELEVATION

SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	TELLERS' COUNTER		
 We Build Possibilities.		DBP GINGOOG BRANCH	COUNT YOUR MONEY STANDEE

MEASUREMENT IN MILLIMETER





TYPICAL STANDEE ISOMETRIC




SIDE ELEVATION

SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED FONT STYLE: HELVETICA		
LOCATION	TELLERS' COUNTER		
 We Build Possibilities.		DBP GINGOOG BRANCH	TELLERS ARE NOT ALLOWED CUSTODY OF PASSBOOK

MEASUREMENT IN MILLIMETER




TYPICAL STANDEE ISOMETRIC



SIDE ELEVATION



SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	TELLERS' COUNTER		
 We Build Possibilities.		DBP GINGOOG BRANCH	CLEARING CUT-OFF

MEASUREMENT IN MILLIMETER




SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING			COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED FONT STYLE: HELVETICA
LOCATION	TELLER'S COUNTER			
 We Build Possibilities.		DBP GINGOOG BRANCH	PRIORITY LANE	

MEASUREMENT IN MILLIMETER





TYPICAL STANDEE ISOMETRIC



SIDE ELEVATION



SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	NEW ACCOUNTS COUNTER		
 We Build Possibilities.		DBP GINGOOG BRANCH	NEW ACCOUNTS STANDEE

MEASUREMENT IN MILLIMETER




SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE		COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA
LOCATION	BRANCH HEAD.S OFFICE		
 We Build Possibilities.		DBP GINGOOG BRANCH	BRANCH HEAD

MEASUREMENT IN MILLIMETER




TYPICAL STANDEE ISOMETRIC




SIDE ELEVATION

SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	ADMIN. ASSISTANT		
 We Build Possibilities.		DBP GINGOOG BRANCH	PUBLIC ASSISTANCE STANDEE

MEASUREMENT IN MILLIMETER




FRONT



SECTION



SPECIFICATION	WITH DATE AND NUMBER INSERTS PROVIDE ALUMINUM CLIP/SCREW			FONT STYLE: DBP FRIZ QUADRATA, HELVETICA
LOCATION	APPLICABLE WALL			
 We Build Possibilities.		DBP GINGOOG BRANCH	FOREX	



MEASUREMENT IN MILLIMETER




(NOTE: INDIVIDUAL ACRYLIC)

SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE		COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED FONT STYLE: HELVETICA
LOCATION	WALL/RESTROOM DOOR		
 We Build Possibilities.			REST ROOM SIGN

MEASUREMENT IN MILLIMETER			
  120 145 DOUBLE SIDED ADHESIVE TAPE BACK			
SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	WALL/RESTROOM DOOR		
 		PLEASE CONSERVE WATER	

MEASUREMENT IN MILLIMETER			
 			
SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	WALL/RESTROOM DOOR		
 			TURN OFF LIGHTS


MEASUREMENT IN MILLIMETER



We Build Possibilities.

DBP GINGOOG BRANCH

ENTRANCE DOOR DECALS



MATERIAL SPECIFICATION

1. DBP LOGO
COMPUTER-CUT FILM TO BE
INSTALLED AT THE FRONT OF THE GLASS DOOR PANEL.
2. COLOR
 - A. DBP LOGO – WHITE
 - B. ALL DECALS – WHITE
3. FONT
 - DBP – FRIZ QUADRATA
 - We Build Possibilities
 - "We Build" – HELVETICA LIGHT
 - "Possibilities" – HELVETICA BOLD
 - BRANCH NAME – HELVETICA BOLD
 - AUTHORIZED BY THE BANGKO SENTRAL NG PILIPINAS
 - "AUTHORIZED BY THE" – HELVETICA LIGHT
 - "BANGKO SENTRAL NG PILIPINAS" – HELVETICA BOLD
 - BANKING HOURS – HELVETICA BOLD




We Build Possibilities.


DBP GINGOOG BRANCH

ENTRANCE DOOR DECALS

MEASUREMENT IN MILLIMETER



BACK



FRONT

SPECIFICATION	6MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING PROVIDE SUCTION CUP AND CHAIN STRING COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED FONT STYLE: HELVETICA		
LOCATION	DOOR ENTRY		
 We Build Possibilities.		DBP GINGOOG BRANCH	OPEN / CLOSE SIGN