



## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 12370194  
**Procuring Entity** DBP BRANCH BANKING GROUP - BICOL  
**Title** SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS FOR DBP VIGA BLU  
**Area of Delivery** Catanduanes

<b>Solicitation Number:</b>	2025-016	<b>Status</b>	<b>Pending</b>
<b>Trade Agreement:</b>	Implementing Rules and Regulations		
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Associated Components</b>	1
<b>Classification:</b>	Goods	<b>Bid Supplements</b>	0
<b>Category:</b>	Construction Materials and Supplies		
<b>Approved Budget for the Contract:</b>	PHP 433,051.00	<b>Document Request List</b>	0
<b>Delivery Period:</b>	30 Day/s		
<b>Client Agency:</b>		<b>Date Published</b>	05/09/2025
<b>Contact Person:</b>	Jennifer Cordial Naval Chairperson, RBAC-Bicol Panganiban Drive Naga City Camarines Sur Philippines 4400 63-02-88189511 Ext.1596  jcnaval@dbp.ph	<b>Last Updated / Time</b>	04/09/2025 14:58 PM
		<b>Closing Date / Time</b>	12/09/2025 15:00 PM

#### Description

PROJECT : SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS FOR DBP VIGA BLU  
LOCATION : G/F MUNICIPAL BLDG., D. ALCALA ST., SAN VICENTE, VIGA,  
CATANDUANES  
SUBJECT : TECHNICAL SPECIFICATIONS

MODE OF PROCUREMENT: SMALL VALUE PROCUREMENT (GOODS & SERVICES)

I. APPROVED BUDGET FOR THE CONTRACT:

FOUR HUNDRED THIRTY-THREE THOUSAND FIFTY-ONE PESOS - Php 433,051.00 (inclusive of VAT/applicable taxes)

II. TECHNICAL SPECIFICATIONS:

Item

No. Particulars Quantity Specifications

Wood & Plastic Composites

1 20mm thk Marine Plywood (4'x8') 15 pcs Laminated, double-face,  
grade AAA

2 Aluminum Split Tubes for Data and power 6 m Dual-compartment aluminum raceway, for separate power and data  
lines

3 Sand paper grit 180 8 shts Fine grit, for finish sanding

4 Sand paper grit 80 5 shts Coarse grit, for initial surface smoothing  
 5 Putty knife 3 pcs Stainless steel blade, plastic handle, 2" wide  
 6 Semi-gloss enamel paint white 2 gals Alkyd resin vehicle, offering a durable, washable, and semi-gloss finish for both interior and exterior wood surfaces.  
 7 Concealed hinges and catches half overlay for cabinet 12 sets Soft close  
 8 Wood Glue 3 kgs High quality, water resistant  
 9 Wood Screws 2" 300 pcs Flat head, coarse thread, self-tapping wood screws  
 10 Paint Brush 2" 5 pcs Nylon bristles, wood handle, suitable for latex and oil-based paints  
 11 Roller Brush 4" 5 pcs Nylon bristles, wood handle, suitable for latex and oil-based paints  
**Doors**  
 12 12mm thk dia Solid Bars @ 6m long 5 pcs Mild steel, hot-rolled, for grille door bars  
 13 6mmx20mm flat bar @ 6m long 2 pcs Mild steel flat, hot-rolled, for framing and reinforcement  
 14 1 1/2 x 1 1/2 Tubular 2 pcs Square steel tube, hot-rolled, for grille door frame  
 15 White Enamel gloss paint 2 L Oil-based topcoat for metal, high-gloss finish  
 16 Red Oxide 2 L Rust-inhibiting base coat for steel surfaces  
 17 Cylindrical metal hinge 4 pcs Weldable, heavy-duty, barrel-type for metal doors  
 18 Concealed hinge 8 pcs Satin stainless finish  
 19 Stainless steel pull with plate 3 sets Satin stainless finish  
 20 Concealed door closer 2 sets Concealed type hold open thumb lock. Satin Stainless finish  
 21 Welding rod 1 kg  
 E6011 or E7018 standard, for mild steel welding  
 22 Foot Bolt 1 pc Manual floor lock, stainless or galvanized steel  
 23 Double cylindrical deadbolt 1 pc Heavy-duty deadbolt, two-cylinder key system  
 24 6mm thk Marine plywood 2 pcs Marine-grade plywood, water-resistant, suitable for door facings and paneling  
 25 4" thk KD Tanguile for door jamb 12 m Kiln-dried Tanguile lumber, 100mm thick, used for door jambs, stable and seasoned  
 26 Satin stainless finish lever type door handle 1 set 304 stainless, heavy-duty, lever-style with escutcheon  
 27 White semi-gloss paint 1 gal Water-based topcoat for interior wood surfaces; smooth, washable finish  
 28 Wood filler/putty 2 kg Paste for filling gaps, cracks, or nail holes in wood before painting  
 29 2" Paint Brush 3 pcs Nylon bristles, wood handle, suitable for latex and oil-based paints  
 30 4" Roller 4 pcs Foam or microfiber roller, for smooth application on flat wood surfaces  
 31 Wood Primer 2 gals Base coat to seal wood, improve paint adhesion, and block stains  
 32 Sand paper grit 180 5 pcs Fine grit sandpaper for smoothing before and between coats  
 33 Wood Screw 2" 300 pcs Coarse thread, flat head screws, for wood-to-wood fastening  
 34 Sandpaper grit 80 10 pcs Coarse grit, ideal for initial sanding or shaping of wood  
 35 GA 18 RHS Jamb 1 set Galvanized steel, rectangular hollow section, door jamb reinforcement  
 36 Metal Hinge for metal door 4 sets Heavy-duty, weldable type, corrosion-resistant finish  
 37 Satin stainless double deadbolt 1 set 304 stainless steel, double cylinder, high-security deadbolt  
 38 Satin stainless finish lever type door handle 1 set 304 stainless steel, heavy-duty, lever-style with backplate, satin finish  
 39 44.5mm thk standard steel plate flush hollow core metal door 1 set Flush type, insulated steel plate core, factory-assembled, pre-primed  
**Form works**  
 40 2"x3"x10' coco lumber 40 pcs For horizontal and vertical supports, preferably air dry or kiln dried  
 41 2"x2"x10' coco lumber 10 pcs For bracing, preferably air dry or kiln dried  
 42 1"x6"x10' Planks 10 pcs For catwalk/platform use.  
 43 3" nails / binding wires 5 kgs Galvanized iron  
**Metal Works**  
 44 1"x1/2"x1.5mm Tubular Framing 35 pcs Hot rolled mild steel, weldable  
 45 2"x2"x5mm Tubular Framing 15 pcs Hot rolled mild steel, weldable complete the work)  
 46 2"x2"x5mm angle bar 8 pcs Hot rolled mild steel, weldable  
 47 50mm x 50mm x 5mm x 6m Angle Bar 5 pcs Hot rolled mild steel, weldable  
 48 12.5mm x 75mm long expansion bolts 12 pcs With expansion shield, heavy duty and corrosion resistant  
 49 12mm x6m sq bar 40 pcs Mild steel, hot-rolled, standard tolerance, suitable for general fabrication, structural, and reinforcement use.  
 50 75mm Allen Type Screw 100 pcs Alloy steel, hex socket head, corrosion-resistant, precision threaded, ideal for mechanical and structural fastening  
 51 Welding rod 1 kg  
 E6011 or E7018 standard, for mild steel welding  
**Finishing Works**  
 52 0.8mm thk. X 35mm x 76mm x 3.0m Metal Track 36 pcs Zinc-coated/corrosion resistant  
 53 0.8mm thk. X 35mm x 76mm x 3.0m Metal Stud 42 pcs Zinc-coated/corrosion resistant  
 54 12mm gypsum board 25 pcs Fire resistant  
 55 Expansion bolt, 10mm Ø 85 pcs Zinc-plated steel, wedge type, heavy-duty anchoring, suitable for concrete and solid masonry applications.  
 56 Blind rivets, 1/8" x 3/4" 820 pcs Stainless steel  
 57 Flat latex white 5 gals Smooth matte finish

58 Semi-gloss latex white 7 gals Water-based, low VOC, formulated for interior gypsum board/drywall, provides smooth, durable, and washable finish.

59 Gypsum joint compound 2 gals For finishing joints between drywall panels

60 Paint thinner 2 gals Used for thinning oil-based paints and cleaning tools

61 Paint roller 7" 5 pcs For applying paint evenly on flat surfaces

62 Paint brush 3" 5 pcs For detail and edge painting

63 Tray / pan 5 pcs Used with paint rollers for efficient paint loading

64 Sandpaper grit 120 10 shts For surface preparation and smoothing

65 Masking tape, 1" x 20m 3 rolls For clean edges during painting and surface protection

66 Skimcoat (20kg) 2 bags For wall leveling and smooth surface finish

67 WPC Wall Cladding 15 pcs Size: 224x26x2900mm Color: Pine

68 Starter/end trim for WPC 6 pcs Same color as the WPC cladding

69 WPC compatible adhesive 5 tubes PU based

70 WOC Clips (Wall-on-clips system) 60 pcs

71 Screws + nylon wall plugs 80 pcs For WOC clip anchoring

Genset Housing and Service Entrance Pole

72 GA 24 Pre-painted rib type GI sheet roofing 0.8x2.1 4 pcs Pre-painted, corrugated galvanized iron roofing, rust-resistant, for exterior roof installation

73 Double-faced aluminum foil Insulation 7 m Roll width: 1.2m

74 Tekscrews 2 boxes Self-tapping screws with drill point, corrosion-resistant, for metal roofing and framing

75 50mm x 75mm x 6m C-purlins 3 pcs Cold-formed, galvanized steel purlins, structural support for roofing

76 1.5mm thk x 50mm x 50mm x 6m tubular bar 8 pcs Weldable, hot-rolled square tube, structural framing for housing

77 2mm thk aluminum sheet 4 pcs Corrosion-resistant sheet, for cladding, lining or cover panel applications

78 1.2mm thk x 50mm x 50mm x 6m tubular bar 8 pcs Hot-rolled, light structural tubing for minor framing or bracing

79 16mm cylindrical hinges 16 sets Heavy-duty barrel hinges, weldable, mild steel or stainless, corrosion-resistant

80 Gate valve 1 pc Brass or stainless, threaded gate valve, manual shut-off control

81 Grease trap 1 pc Stainless steel

82 9" Waterproofed barrel bolt with padlock 4 sets Barrel bolt type, galvanized or stainless steel, waterproof, with padlock provision

83 8" foot bolt 6 sets Heavy-duty, stainless steel or galvanized, floor-mounted security bolt

84 Welding rod kgs E6011 or E7018 standard, general-purpose mild steel welding rods

85 Quick dry enamel (gray) 1 gal Fast-drying enamel topcoat, corrosion-resistant, suitable for metal surfaces

86 20mm dia GI pipe (Schedule 20) 1 pc Schedule 20 galvanized iron pipe, for water or conduit installation

87 20mm dia elbow (Schedule 20) 2 pcs Schedule 20, threaded elbow fitting for 20mm GI pipe

88 10mm dia U-bolt with standard washer 1 set U-bolt with washers and nuts, for clamping pipe to flat surfaces

89 12mm dia RSB 15 pcs Hot-rolled deformed reinforcing bar, structural-grade

90 0.8mm thk stainless steel 4 shts Corrosion-resistant, polished finish, for kitchen or clean area lining

91 0.6mm thk Pre-painted GI sheet 8 shts Galvanized iron sheet, commercial grade, zinc-coated, for louvers

92 Blind rivets 4 boxes Pop-type, stainless steel blind rivets, general fastening

93 Cement 20 bags Portland cement, ASTM C150 Type 1, general-purpose concrete

94 Sand 2 cu.m Washed river sand, fine aggregate for concrete/mortar

95 Gravel 3 cu.m Crushed stone, 3/4 inch size, coarse aggregate for concrete

96 Tie wire 4 kgs Annealed black iron wire, 16 gauge, for reinforcing bar tying

97 16 mm RSB 13 pcs High-strength deformed bar, 16mm dia, ASTM A615 Grade 60

98 10mm RSB 15 pcs High-strength deformed bar, 10mm dia, ASTM A615 Grade 60

### III. CONDITIONS OF THE CONTRACT:

1. The Supplier shall ensure that the items delivered are in accordance with the specifications required by the DBP. DBP reserves the right to reject delivery if the item/s delivered are found to be defective or do not meet the required specifications/model.
2. DBP may terminate/cancel the Purchase Order (PO)/Notice to Proceed (NTP) when if the Supplier fails to deliver, perform and comply with its obligation.
3. Delivery Period: The Supplier shall complete the supply and delivery of various construction materials within thirty (30) calendar days after receipt of Purchase Order (PO) / Notice to Proceed (NTP).
4. Point of Delivery: G/F Municipal Bldg., D. Alcala St., San Vicente, Viga, Catanduanes
5. Warranty: The warranty period shall be one (1) year from the date of acceptance of the item/s by DBP.

### IV. DOCUMENTARY REQUIREMENTS:

Interested Supplier/s must submit the following documents:

- Proposal/Quotation
- Proof PhilGEPS Registration
- 2025 Mayor's/Business Permit
- Omnibus Sworn Statement
- Secretary Certificate (for Supplier under Partnership/Corporation)
- Signed Request for Quotation (RFQ)

### V. PAYMENT:

ONE-TIME, FULL PAYMENT shall be processed be after completion of the project subject to submission of following complete documents:

- Project Pictures
- Invoice/Billing Statement
- Certificate of Completion/Acceptance (as applicable)

#### VI. LIQUIDATED DAMAGES:

The supplier, manufacturer, or distributor shall deliver the goods procured within the period as specified in the Contract.

Liquidated damages shall be imposed if any or all of the contracted Goods remain undelivered on the specified date, including the duly granted extensions.

When the supplier, manufacturer, or distributor fails to satisfactorily deliver the goods under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier, manufacturer, or distributor shall be liable for liquidated damages in an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the Procuring Entity. The Procuring Entity need not prove that it has incurred actual damages to be entitled to liquidated damages. Such amount shall be deducted from any money due, or which may become due the supplier, manufacturer, or distributor, or collected from any securities or warranties posted by the supplier, manufacturer, or distributor, whichever is convenient to the Procuring Entity. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.

If delays are likely to be incurred beyond its control, the supplier, manufacturer, or distributor shall promptly notify the Procuring Entity in writing, providing details of the causes and duration of the expected delay. The Procuring Entity may, at its discretion, grant a time extension based on meritorious grounds, with or without the imposition of liquidated damages.

**Created by** Jennifer Cordial Naval

**Date Created** 04/09/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.