Development Bank of the Philippines REQUEST FOR PURCHASE/REPAIR/CONSTRUCTION

Requisitioning Unit:	6650000 - VIRAC		Requisition No : P-VIRAC-25-00028		
				Date: 8/4/2025	
1.05			UNIT/	ACCOUNTABLE SIGNED	
ITEM CODE	ITEM DESCRIPTIO			<u>representation</u>	
AN-001-001-0342	Supply and Delivery of Various Construc Materials	tion 1	LOT	AA BAGADIO	
Notes/Justification:	FOR INSTALLATION AT BLU VIGA, CATA	NDUANES			
Budget to which the	e cost of the above will be charged (Bud	dget Availability) :			
	EXPENSE ACCOUNT	BUDGET BEFORE	EST. COST OF	NEW BUDGET	
		THIS REQUISITION	REQUISITION	BALANCE	
09608-BP,FF & EC	RPT BLDG,R,D,BRANCH	2,732,511.00	433,051.00	2,299,400.00	
	Item Description	Qty	Unit Cost	Total Cost	
Supply and Del	ivery of Various Construction Materials	1 LOT	433,051.00	433,051.00 433,051.00	
				433,051.00	
For the use of (For EFF a	and SE items):	APPROVED:	the above items are n	forderaty and will be	
See above account	table employee(s)	The state of the s	or official purpose.	recessary and will be	
Name & Signature	e & Designation (Local)		SIG	<u>SNED</u>	
			HEAD, VI	RAC BRANCH	
To be received by		Special Appro	val (if necessary) :		
SIGNE	-D				
Name & Si			Name & Signati	ure & Designation	
Budget Approval :	grature (Local)	Inspection/Red	ceipt by IMU-PIMD :		
Badget Approva.					
	SIGNED		Name & Signa	ture & Designation	
	BURGET OFFICER	Date Issued :			
For Procurement Service	Acceptance by				
			eceived above the iten		
			,,,,,,		
P.O. No.	Invoice No.		Name & Signa	ature & Designation	
Date	Date Date	Date Accepted			

PROJECT: SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION

MATERIALS FOR DBP VIGA BLU

LOCATION: G/F MUNICIPAL BLDG., D. ALCALA ST., SAN VICENTE, VIGA,

CATANDUANES

SUBJECT: TECHNICAL SPECIFICATIONS

MODE OF PROCUREMENT: SMALL VALUE PROCUREMENT (GOODS & SERVICES)

I. APPROVED BUDGET FOR THE CONTRACT:

FOUR HUNDRED THIRTY-THREE THOUSAND FIFTY-ONE PESOS - <u>Php 433,051.00</u> (inclusive of VAT/applicable taxes)

II. TECHNICAL SPECIFICATIONS:

Item No.	Particulars	Quantity	Specifications		
	Wood & Plastic Composites				
1	20mm thk Marine Plywood (4'x8')	15 pcs	Laminated, double-face, grade AAA		
2	Aluminum Split Tubes for Data and power	6 m	Dual-compartment aluminum raceway, for separate power and data lines		
3	Sand paper grit 180	8 shts	Fine grit, for finish sanding		
4	Sand paper grit 80	5 shts	Coarse grit, for initial surface smoothing		
5	Putty knife	3 pcs	Stainless steel blade, plastic handle, 2" wide		
6	Semi-gloss enamel paint white	2 gals	Alkyd resin vehicle, offering a durable, washable, and semi-gloss finish for both interior and exterior wood surfaces.		
7	Concealed hinges and catches half overlay for cabinet	12 sets	Soft close		
8	Wood Glue	3 kgs	High quality, water resistant		
9	Wood Screws 2"	300 pcs	Flat head, coarse thread, self-tapping wood screws		
10	Paint Brush 2"	5 pcs	Nylon bristles, wood handle, suitable for latex and oilbased paints		
11	Roller Brush 4"	5 pcs	Nylon bristles, wood handle, suitable for latex and oilbased paints		
Doors					
12	12mm thk dia Solid Bars @ 6m long	5 pcs	Mild steel, hot-rolled, for grille door bars		
13	6mmx20mm flat bar @ 6m long	2 pcs	Mild steel flat, hot-rolled, for framing and reinforcement		
14	1 ½ x 1 ½ Tubular	2 pcs	Square steel tube, hot- rolled, for grille door frame		
15	White Enamel gloss paint	2 L	Oil-based topcoat for metal, high-gloss finish		

	T		1 =
16	Red Oxide	2 L	Rust-inhibiting base coat for steel surfaces
17	Cylindrical metal hinge	4 pcs	Weldable, heavy-duty, barrel-type for metal doors
18	Concealed hinge	8 pcs	Satin stainless finish
19	Stainless steel pull with plate	3 sets	Satin stainless finish
20	Concealed door closer	2 sets	Concealed type hold open thumb lock. Satin Stainless finish
21	Welding rod	1 kg	E6011 or E7018 standard, for mild steel welding
22	Foot Bolt	1 pc	Manual floor lock, stainless or galvanized steel
23	Double cylindrical deadbolt	1 pc	Heavy-duty deadbolt, two- cylinder key system
24	6mm thk Marine plywood	2 pcs	Marine-grade plywood, water-resistant, suitable for door facings and paneling
25	4" thk KD Tanguile for door jamb	12 m	Kiln-dried Tanguile lumber, 100mm thick, used for door jambs, stable and seasoned
26	Satin stainless finish lever type door handle	1 set	304 stainless, heavy-duty, lever-style with escutcheon
27	White semi-gloss paint	1 gal	Water-based topcoat for interior wood surfaces; smooth, washable finish
28	Wood filler/putty	2 kg	Paste for filling gaps, cracks, or nail holes in wood before painting
29	2" Paint Brush	3 pcs	Nylon bristles, wood handle, suitable for latex and oilbased paints
30	4" Roller	4 pcs	Foam or microfiber roller, for smooth application on flat wood surfaces
31	Wood Primer	2 gals	Base coat to seal wood, improve paint adhesion, and block stains
32	Sand paper grit 180	5 pcs	Fine grit sandpaper for smoothing before and between coats
33	Wood Screw 2"	300 pcs	Coarse thread, flat head screws, for wood-to-wood fastening
34	Sandpaper grit 80	10 pcs	Coarse grit, ideal for initial sanding or shaping of wood
35	GA 18 RHS Jamb	1 set	Galvanized steel, rectangular hollow section, door jamb reinforcement
36	Metal Hinge for metal door	4 sets	Heavy-duty, weldable type, corrosion-resistant finish

			304 stainless steel, double	
37	Satin stainless double deadbolt	1 set	cylinder, high-security	
			deadbolt	
	Satin stainless finish lever type door		304 stainless steel, heavy-	
38	handle	1 set	duty, lever-style with	
	nanao		backplate, satin finish	
00	44.5mm thk standard steel plate flush		Flush type, insulated steel	
39	hollow core metal door	1 set	plate core, factory- assembled, pre-primed	
	Form w	orks	assembled, pre-primed	
	101111	l l	For horizontal and vertical	
40	2"x3"x10' coco lumber	40 pcs	supports, preferably air dry	
			or kiln dried	
41	2"x2"x10' coco lumber	10 pcs	For bracing, preferably air	
			dry or kiln dried	
42	1"x6"x10' Planks	10 pcs	For catwalk/platform use.	
43	3" nails / binding wires	5 kgs	Galvanized iron	
	Metal W	orks	Hot rolled mild atool	
44	1"x1/2"x1.5mm Tubular Framing	35 pcs	Hot rolled mild steel, weldable	
			Hot rolled mild steel.	
45	2"x2"x5mm Tubular Framing	15 pcs	weldable complete the work)	
40	O" O" France are also be an	0	Hot rolled mild steel,	
46	2"x2"x5mm angle bar	8 pcs	weldable	
47	50mm x 50mm x 5mm x 6m Angle Bar	5 pcs	Hot rolled mild steel,	
	Commit X Commit X Commit X Com 7 trigle Edi	0 000	weldable	
40	40 France v 75 mans law a surrancian halfa	40	With expansion shield,	
48	12.5mm x 75mm long expansion bolts	12 pcs	heavy duty and corrosion resistant	
			Mild steel, hot-rolled,	
			standard tolerance, suitable	
49	12mm x6m sq bar	40 pcs	for general fabrication,	
			structural, and	
			reinforcement use.	
			Alloy steel, hex socket head,	
50	75mm Allen Tune Corour	100 noo	corrosion-resistant,	
50	75mm Allen Type Screw	100 pcs	precision threaded, ideal for mechanical and structural	
			fastening	
51	Welding rod	1 kg	E6011 or E7018 standard,	
		9	for mild steel welding	
Finishing Works				
50	0.8mm thk. X 35mm x 76mm x 3.0m		Zinc-coated/corrosion	
52	Metal Track	36 pcs	resistant	
53	0.8mm thk. X 35mm x 76mm x 3.0m	42 pcs	Zinc-coated/corrosion	
	Metal Stud	·	resistant	
54	12mm gypsum board	25 pcs	Fire resistant	
			Zinc-plated steel, wedge	
55	Expansion bolt, 10mm Ø	85 pcs	type, heavy-duty anchoring, suitable for concrete and	
			solid masonry applications.	
56	Blind rivets, 1/8" x 3/4"	820 pcs	Stainless steel	
	1		i.	

57	Flat latex white	5 gals	Smooth matte finish
58	Semi-gloss latex white	7 gals	Water-based, low VOC, formulated for interior gypsum board/drywall, provides smooth, durable, and washable finish.
59	Gypsum joint compound	2 gals	For finishing joints between drywall panels
60	Paint thinner	2 gals	Used for thinning oil-based paints and cleaning tools
61	Paint roller 7"	5 pcs	For applying paint evenly on flat surfaces
62	Paint brush 3"	5 pcs	For detail and edge painting
63	Tray / pan	5 pcs	Used with paint rollers for efficient paint loading
64	Sandpaper grit 120	10 shts	For surface preparation and smoothing
65	Masking tape, 1" x 20m	3 rolls	For clean edges during painting and surface protection
66	Skimcoat (20kg)	2 bags	For wall leveling and smooth surface finish
67	WPC Wall Cladding	15 pcs	Size: 224x26x2900mm Color: Pine
68	Starter/end trim for WPC	6 pcs	Same color as the WPC cladding
69	WPC compatible adhesive	5 tubes	PU based
70	WOC Clips (Wall-on-clips system)	60 pcs	
71	Screws + nylon wall plugs	80 pcs	For WOC clip anchoring
	Genset Housing and Service	ce Entrance	
72	GA 24 Pre-painted rib type GI sheet roofing 0.8x2.1	4 pcs	Pre-painted, corrugated galvanized iron roofing, rust-resistant, for exterior roof installation
73	Double-faced aluminum foil Insulation	7 m	Roll width: 1.2m
74	Tekscrews	2 boxes	Self-tapping screws with drill point, corrosion-resistant, for metal roofing and framing
75	50mm x 75mm x 6m C-purlins	3 pcs	Cold-formed, galvanized steel purlins, structural support for roofing
76	1.5mm thk x 50mm x 50mm x 6m tubular bar	8 pcs	Weldable, hot-rolled square tube, structural framing for housing
77	2mm thk aluminum sheet	4 pcs	Corrosion-resistant sheet, for cladding, lining or cover panel applications
78	1.2mm thk x 50mm x 50mm x 6m tubular bar	8 pcs	Hot-rolled, light structural tubing for minor framing or bracing
79	16mm cylindrical hinges	16 sets	Heavy-duty barrel hinges, weldable, mild steel or stainless, corrosion-resistant

	I	T	1
80	Gate valve	1 pc	Brass or stainless, threaded gate
			valve, manual shut-off control
81	Grease trap	1 pc	Stainless steel
82	9" Waterproofed barrel bolt with padlock	4 sets	Barrel bolt type, galvanized or stainless steel, waterproof, with padlock provision
83	8" foot bolt	6 sets	Heavy-duty, stainless steel or galvanized, floor-mounted security bolt
84	Welding rod	kgs	E6011 or E7018 standard, general-purpose mild steel welding rods
85	Quick dry enameL (gray)	1 gal	Fast-drying enamel topcoat, corrosion-resistant, suitable for metal surfaces
86	20mm dia GI pipe (Schedule 20)	1 pc	Schedule 20 galvanized iron pipe, for water or conduit installation
87	20mm dia elbow (Schedule 20)	2 pcs	Schedule 20, threaded elbow fitting for 20mm GI pipe
88	10mm dia U-bolt with standard washer	1 set	U-bolt with washers and nuts, for clamping pipe to flat surfaces
89	12mm dia RSB	15 pcs	Hot-rolled deformed reinforcing bar, structural-grade
90	0.8mm thk stainless steel	4 shts	Corrosion-resistant, polished finish, for kitchen or clean area lining
91	0.6mm thk Pre-painted GI sheet	8 shts	Galvanized iron sheet, commercial grade, zinc- coated, for louvers
92	Blind rivets	4 boxes	Pop-type, stainless steel blind rivets, general fastening
93	Cement	20 bags	Portland cement, ASTM C150 Type 1, general- purpose concrete
94	Sand	2 cu.m	Washed river sand, fine aggregate for concrete/mortar
95	Gravel	3 cu.m	Crushed stone, 3/4 inch size, coarse aggregate for concrete
96	Tie wire	4 kgs	Annealed black iron wire, 16 gauge, for reinforcing bar tying
96	Tie wire	4 kgs	

97	16 mm RSB	13 pcs	High-strength deformed bar, 16mm dia, ASTM A615 Grade 60
98	10mm RSB	15 pcs	High-strength deformed bar, 10mm dia, ASTM A615 Grade 60

III. CONDITIONS OF THE CONTRACT:

- 1. The Supplier shall ensure that the items delivered are in accordance with the specifications required by the DBP. DBP reserves the right to reject delivery if the item/s delivered are found to be defective or do not meet the required specifications/model.
- 2. DBP may terminate/cancel the Purchase Order (PO)/Notice to Proceed (NTP) when if the Supplier fails to deliver, perform and comply with its obligation.
- 3. **Delivery Period:** The Supplier shall complete the supply and delivery of various construction materials within **thirty (30) calendar days** after receipt of Purchase Order (PO) / Notice to Proceed (NTP).
- 4. **Point of Delivery:** G/F Municipal Bldg., D. Alcala St., San Vicente, Viga, Catanduanes
- 5. **Warranty:** The warranty period shall be one (1) year from the date of acceptance of the item/s by DBP.

IV. DOCUMENTARY REQUIREMENTS:

Interested Supplier/s must submit the following documents:

- Proposal/Quotation
- Proof PhilGEPS Registration
- 2025 Mayor's/Business Permit
- Omnibus Sworn Statement
- Secretary Certificate (for Supplier under Partnership/Corporation)
- Signed Request for Quotation (RFQ)

V. PAYMENT:

ONE-TIME, FULL PAYMENT shall be processed be after completion of the project subject to submission of following complete documents:

- Project Pictures
- Invoice/Billing Statement
- Certificate of Completion/Acceptance (as applicable)

VI. LIQUIDATED DAMAGES:

The supplier, manufacturer, or distributor shall deliver the goods procured within the period as specified in the Contract.

Liquidated damages shall be imposed if any or all of the contracted Goods remain undelivered on the specified date, including the duly granted extensions.

When the supplier, manufacturer, or distributor fails to satisfactorily deliver the goods under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier, manufacturer, or distributor shall be liable for liquidated damages in an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the Procuring Entity. The Procuring Entity need not prove that it has incurred actual damages to be entitled to liquidated damages. Such amount shall be deducted from any money due, or which may become due the supplier, manufacturer, or distributor, or collected from any securities or warranties posted by the supplier, manufacturer, or distributor, whichever is convenient to the Procuring Entity. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.

If delays are likely to be incurred beyond its control, the supplier, manufacturer, or distributor shall promptly notify the Procuring Entity in writing, providing details of the causes and duration of the expected delay. The Procuring Entity may, at its discretion, grant a time extension based on meritorious grounds, with or without the imposition of liquidated damages.

Recommended by:

-SIGNED-<u>MARK GIL H. BAYOS</u> Branch Services Officer, DBP Virac Branch

Approved by:

-SIGNED-BRENDA G. BRIZO Head, Virac Branch