



DEVELOPMENT BANK OF THE PHILIPPINES

Head Office: Sen. Gil J. Puyat Avenue corner
Makati Avenue, Makati City, Philippines



REQUEST FOR QUOTATION

The Development Bank of the Philippines, through the Regional Bids and Awards Committee for BBG Southern Luzon, intends to procure the following goods/general support services:

Quantity	Unit of Measurement	Project Description	Approved Budget for the Contracts (ABCs), VAT inclusive
One (1)	Lot	Common Construction Materials	PhP 937,897.58
One (1)	Lot	Glass Works	PhP 417,786.38
One (1)	Lot	Security and Frosted Films	PhP 59,923.29
One (1)	Lot	Metal Doors	PhP 29,490.83
One (1)	Lot	Finishes	PhP 259,011.08
One (1)	Lot	Plumbing Works	PhP 116,257.05

Accordingly, all interested suppliers are invited to submit their Price Quotation using the prescribed DBP Financial Proposal Form together with the following mandatory requirements:

- ☒ Valid Mayor's/Business Permit
- ☐ PhilGEPS Registration Number and/or PhilGEPS Certificate of Membership
- ☒ Annual Income or Business Tax Return *(for Project with ABC above P 500 K)*
[Electronically filed through the BIR Electronic Filing and Payment System (eFPS) could be accepted]
- ☒ Omnibus Sworn Statement *(for Project with ABC above P 50 K)*
- ☐ Valid Philippine Contractors Accreditation Board (PCAB) License & Category [Appropriate for the nature and cost of the project] *(Applicable for Infrastructure Projects only)*
- ☐ Duly accomplished Bill of Quantities *(Applicable for Infrastructure Projects only)*
- ☒ DBP Terms & Conditions and Technical Specifications/Terms of Reference duly signed by supplier or duly authorized representative
- ☒ Data Privacy Consent Form

The Bank reserves the right to reject any or all Financial Proposals, to waive any formality therein, and to annul the procurement process at any time prior to contract award without incurring any liability to the affected suppliers. Furthermore, the Bank makes no assurance that a contract shall be awarded as a result of this request.

For further information and details on the requirements, please refer to the attached PhilGEPS Publication.

Thank you.

Bids and Awards Committee Secretariat
Development Bank of the Philippines
Ground Floor DBP Building, Merchan Street,
Barangay IX, Lucena City, Quezon Province, Philippines 4301
Telephone: (02) 8189511 local 1581; (042) 373-0190 Email: slbg@dbp.ph



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 12625678
Procuring Entity DEVELOPMENT BANK OF THE PHILIPPINES - BBG - SOUTH LUZON
Title Procurement of Supply and Delivery of Various Construction Materials for DBP Narra Branch
Area of Delivery Palawan

Solicitation Number:	2025-009 RFQ	Status	Active
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	5
Classification:	Goods - General Support Services	Bid Supplements	0
Category:	Construction Materials and Supplies		
Approved Budget for the Contract:	PHP 1,820,366.21	Document Request List	2
Delivery Period:	30 Day/s		
Client Agency:		Date Published	26/11/2025
Contact Person:	Dolly Ann de Chavez Llagas Administrative Specialist Ground Floor, DBP Bldg., Merchan St., Lucena City Quezon Province Lucena City Quezon Philippines 4301 63-2-88189511 Ext.1542 63-42-3730297 dadllagas@dbp.ph	Last Updated / Time	26/11/2025 00:00 AM
		Closing Date / Time	02/12/2025 17:00 PM

Description

The Development Bank of the Philippines – BBG Southern Luzon, through the Regional Bids and Awards Committee for Southern Luzon (RBAC-SL), intends to procure supply and delivery of various construction materials for DBP Narra Branch with an Approved Budget for the Contract (ABC) of One Million Eight Hundred Twenty Thousand Three Hundred Sixty-six Pesos and 21/100 only (P1,820,366.21).

Interested suppliers/contractors are invited to submit their Financial Proposals, duly signed by their authorized representative/s, on or before the deadline indicated. Submissions must be accompanied by the following mandatory requirements:

1. Valid Mayor's/Business Permit
2. Electronically Filed Income or Business Tax Return (filed through the BIR Electronic Filing and Payment System [eFPS]); or Annual Income or Business Tax Return
3. PhilGEPS Certificate of Registration
4. Omnibus Sworn Statement
5. Valid Philippine Contractors Accreditation Board (PCAB) License and registration for the type and cost of contract (for Infrastructure Projects only)
6. Duly accomplished Bill of Quantities (for Infrastructure Projects only)
7. DBP Terms and Conditions and Technical Specifications/Terms of Reference, duly signed on each and every page by

the supplier or duly authorized representative
8. DBP Data Privacy Consent Form

The Bank assumes no responsibility whatsoever to compensate or indemnify any supplier for expenses incurred in the preparation and submission of the Financial Proposal and/or mandatory requirements.

Further, the Bank reserves the right to reject any or all Financial Proposals, declare a failure of bidding, or not award the contract at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	Common Construction Materials	Supply and delivery of Common Construction Materials	1	Lot	937,897.58
2	Glass Works	Supply and delivery of Materials for Glass Works	1	Lot	417,786.38
3	Security and Frosted Films	Supply and delivery of Materials for Security and Frosted Film	1	Lot	59,923.29
4	Metal Doors	Supply and delivery of Materials for Metal Doors	1	Lot	29,490.83
5	Finishes	Supply and delivery of Materials for Finishes	1	Lot	259,011.08
6	Plumbing Works	Supply and delivery of Materials for Plumbing Works	1	Lot	116,257.05

Created by Dolly Ann de Chavez Llagas

Date Created 24/11/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

DBP FINANCIAL PROPOSAL FORM**For: Development Bank of the Philippines**

On behalf of the supplier, the undersigned, declare that:

- a. We have examined the Request for Quotation and its attachments (collectively, "RFQ")
 b. We, submit the following quotation/s:

Project Description	Approved Budget for the Contracts (ABCs), VAT inclusive	Total Bid Price, VAT Inclusive (in Figures and in Words)	
		Unit Price	Amount
Common Construction Materials	PhP 937,897.58		
Glass Works	PhP 417,786.38		
Security and Frosted Films	PhP 59,923.29		
Metal Doors	PhP 29,490.83		
Finishes	PhP 259,011.08		
Plumbing Works	PhP 116,257.05		
TOTAL AMOUNT IN FIGURES:			
TOTAL AMOUNT IN WORDS:			

- c. We undertake, if our Quotation/Proposal for the Price is accepted, to deliver the good(s) in accordance with the delivery schedule specified in the Request for Quotation;
 d. We agree to abide by this Quotation/Proposal for the Price Validity Period of Six (6) Months from date of opening of Financial Proposals and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
 e. Until a formal Purchase Order is prepared and executed, this Financial Proposal, together with your written acceptance thereof, shall be binding upon us;
 f. We understand that you are not bound to accept the Lowest Calculated Quotation or any Quotation/Proposal you may receive;
 g. We likewise certify/confirm that the undersigned is the duly authorized representative of the supplier and granted full power and authority to do, execute, and perform any and all acts necessary to participate, submit the Financial Proposal, and to sign and execute the ensuing contract for herein project;
 h. We acknowledge that failure to sign each page of this Financial Proposal Form, shall be aground for the rejection of our Quotation/Proposal;
 i. We acknowledge that we indicated the amount of our total bid price in figures and in words;
 j. We acknowledge that Quotations/ Proposals not addressing of providing all of the required items in the Bidding Documents including, where applicable, bill of quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) or "-" (dash) for the said item would mean that it is being offered for free to the government, except those required by law or regulations to be provided for. (Sec 32.2.1(a), Rule IX, IRR). It is further understood that to ensure completeness of the quotation/proposal, suppliers must ensure that ALL items, columns or matrices in the prescribed forms are appropriately filled-up and no item. Column, or matrix is left blank; and
 k. We understand that any communication sent by DBP to the address/fax number/email address provided below shall be deemed to have been duly received by your firm. On the date and time shown in the transmittal. Any change in the contact details shall be duly communicated to the bank.

 Signature over Printed Name of the Supplier's
 Authorized Representative/Designation

PhilGEPS Registration Number: _____

 Name of Company/Business Name

 Address

Telephone No. : _____
 Cellphone No. : _____
 Email Address : _____
 Date : _____



DEVELOPMENT BANK OF THE PHILIPPINES

PRIVACY CONSENT FORM
Bids/Procurement

Name of Project	SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS FOR DBP NARRA BRANCH
------------------------	--

I, _____, (Address) _____
(Contact Number) _____, (Email Address) _____ hereby authorize/consent to the processing of personal and other related business information which I voluntarily provided to the **Development Bank of the Philippines (DBP)** and understand, acknowledge and agree to the following specific purposes and terms:

I authorize DBP for **processing**¹ and using my personal and other related business information, including but not limited to my name, address, contact details, and any other relevant information necessary for the evaluation process.

I understand that appropriate security measures shall be implemented by DBP for the protection of my personal and other related business information and shall be treated confidentially. Similarly, such information shall only be disclosed to authorized personnel involved in the bids and awards process of DBP.

I acknowledge that my personal and other related business information may be retained by DBP for as long as deemed necessary to fulfill the purposes specified/stated in this consent form, or as required by applicable policies, laws or regulations.

I understand that I have the right to access and request correction of my personal and other related business information held by DBP to correct any error and inaccuracy, in accordance with applicable data privacy laws.

I understand that I have the right to withdraw my consent, and request DBP to stop the **processing** of my personal and business information which may cease/ terminate/ discontinue the evaluation and other related procurement processes.

I agree that any confidential information obtained during my participation in the bid and procurement procedures shall not be disclosed to any third party other than its intended purpose.

By signing below, I acknowledge that I have read and understood the terms and purposes of this consent form and agree to the **processing** of my personal and other related business information as described.

Signature over Printed Name

Date Signed

ADDITIONAL INFORMATION

For inquiries or complaints, you may contact the Development Bank of the Philippines (DBP), Attention to: the **DBP Data Protection Officer or the DBP Customer Experience Management Department**, Sen. Gil J. Puyat Ave. cor. Makati Ave., Makati City, Philippines, Telephone No. (02) 8818-9511 to 20/ (02) 8818-9611 to 20, email: info@dbp.ph.

¹**PROCESSING** - refers to any operation or any set of operations performed upon personal data including but not limited to, the collection, recording, organization, storage, updating or modification, retrieval, consultation, use, consolidation, blocking, erasure or destruction of data.



PROJECT : SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS FOR DBP NARRA BRANCH
LOCATION : PUERTO PRINCESA NATIONAL ROAD, POBLACION, NARRA
SUBJECT : TECHNICAL SPECIFICATIONS

MODE OF PROCUREMENT: SMALL VALUE PROCUREMENT

I. APPROVED BUDGET FOR THE CONTRACT:

ONE MILLION EIGHT HUNDRED TWENTY THOUSAND THREE HUNDRED SIXTY-SIX and 21/100 PESOS - Php 1,820,366.21 (inclusive of VAT/applicable taxes)

II. TECHNICAL SPECIFICATIONS:

COMMON CONSTRUCTION MATERIALS		LOT 1	PhP 937,897.58
Item No.	Particulars	Quantity	Specifications
1	Cement	416 bags	Portland cement, ASTM C150 Type 1, general-purpose concrete
2	Sand, S-1	25 cu.m	Washed river sand, fine aggregate for concrete/mortar
3	Gravel	22 cu.m	Crushed stone, 3/4 inch size, coarse aggregate for concrete
4	16mmø RSB	3 pcs	High-strength deformed bar, 16mm dia. ASTM A615 Grade 60 (6-m commercial length)
5	12mmø RSB	297 pcs	High-strength deformed bar, 12mm dia. ASTM A615 Grade 40 (6-m commercial length)
6	10mmø RSB	321 pcs	High-strength deformed bar, 10mm dia. ASTM A615 Grade 40 (6-m commercial length)
7	Tie wire	57 kgs	Annealed black iron wire, 16 gauge, for reinforcing bar tying
8	100mm CHB (4")	842 pcs.	Minimum 750psi concrete hollow blocks for interior partition
9	150mm CHB (6")	1,327 pcs.	Minimum 750psi concrete hollow

			blocks for exterior partition & cash vault
10	C 7x9.8 steel channel	2 pcs.	A36 carbon structural steel (6-m commercial length)
11	C 8x11.5 steel channel	14 pcs.	A36 carbon structural steel (6-m commercial length)
12	1-1/2" x 1-1/2" x 1/4" Angle bar	28 pcs.	A36 carbon structural steel (6-m commercial length)
13	10mm thk. MS plate	6 shts	4'x8' A36 MS Plate
14	6mm thk. MS plate	6 shts	4'x8' A36 MS Plate
15	300mm x 300mm x 6mm base plate	2 pcs	A36 MS Plate
16	12mmØ round bar	63 pcs	High-strength round bar, 12mm dia, ASTM A615 Grade 40 (6-m commercial length)
17	12mm thk. square bar	8 pcs	Mild steel square bar (6-m commercial length)
18	20mm x 6mm thick flat bar	15 pcs	Mild steel flat, hot-rolled (weldable), for framing and reinforcement (6-m commercial length)
19	12mmØ anchor bolts	110 pcs	M12 x 80mm anchor bolt
20	Expansion bolt, 10mm Ø	170 pcs	Zinc-plated steel, wedge type, heavy-duty anchoring, suitable for concrete and solid masonry applications.
21	12mm x 75mm Expansion bolt with expansion shield	43 pcs	Zinc-plated steel, wedge type, heavy-duty anchoring, suitable for concrete and solid masonry applications.
22	Steel Track (including roller and floor guide)	1 set	Galvanized steel track for sliding steel grille door
23	Welding rod	26 kgs	E6011 or E7018 standard, general-purpose mild steel welding rods
24	0.8mm thk. X 35mm x 76mm x 3.0m Metal Stud	85 pcs	Zinc-coated/corrosion resistant for gypsum

			board wall partition (6-m length)
25	0.8mm thk. X 35mm x 76mm x 3.0m Metal Track	34 pcs	Zinc-coated/corrosion resistant for gypsum board wall partition (6-m length)
26	1/2" ordinary plywood	41 shts	Ordinary-grade plywood, temp. enclosure and overhead cabinet divider
27	1/4" marine plywood	13 shts	Marine-grade plywood, water-resistant, suitable for door facings and paneling
28	3/4" Marine plywood	23 shts	Marine-grade plywood, water-resistant, suitable for door facings and paneling
29	1-1/2" X 2" X 10' KD tanguile S4S	13 pcs	Kiln-dried tanguile lumber used for door frame, stable and seasoned (10-ft length)
30	1-1/2" X 2" X 14' KD tanguile S4S	7 pcs	Kiln-dried tanguile lumber, used for door frame, stable and seasoned (10-ft length)
31	1"x2"x10' edge moulding, KD tanguile S4S	13 pcs	Kiln-dried tanguile lumber, used for door edging, stable and seasoned (10-ft length)
32	3" x 8" x 10' KD tanguile S4S	7 pcs	Kiln-dried tanguile lumber used for door jamb, stable and seasoned (10-ft length)
33	19mm x 2.4m x 1.2m phenolic plywood	27 shts	Water, chemical and abrasion resistant for formworks
34	1/2" x 2" x 8' wood edging	43 pcs	Kiln-dried tanguile hardwood Free from warping, knots, cracks and defects Square edge smooth finish.

35	White laminate	1 sht	HPL color white glossy finish 1.0mm thick
36	Laminate Edging (color: white) ¾" x 50-ft length	4 pcs	Melamine edge banding for plywood table and cabinets
37	2" x 4" x 12' Coco Lumber	36 pcs	For horizontal and vertical supports, preferably air dry or kiln dried
38	2" x 2" x 12' Coco Lumber	3 pcs	For horizontal and vertical supports, preferably air dry or kiln dried
39	12mm Gypsum Board	52 sht	Fire resistant gypsum board for drywall partition
40	25mm thick Styropore Seismic Gap	32 sq.m	Seismic Gap for Cash Vault Area
41	Concrete Nail, Assorted	7 kgs	3"-4" Concrete Nails
42	4" Assorted nails	16 kgs	Galvanized iron nails
43	Finishing Nail, Assorted	14 kgs	Galvanized iron nails
44	Allen Type Screws	68 pcs	75mm length Alloy steel, hex socket head, corrosion-resistant, precision threaded, ideal for mechanical and structural fastening
45	Blind Rivets	891 pcs	Pop-type, stainless steel blind rivets, general fastening
46	Cut-Off Disc, 14" Ø	15 pcs	14" dia. Abrasive cutting disc
47	Cutting disc, 4" Ø	10 pcs	4" dia. Abrasive cutting disc
48	Wood Glue	32 liters	High quality, water resistant
49	Door closer (concealed)	2 sets	Concealed type hold open thumb lock. Satin Stainless finish
50	Door closer (pneumatic)	7 sets	Heavy duty pneumatic door closer with air compressed cylinder
51	Door knob (lever-type, keyed)	2 sets	Satin stainless finish lever type door handle, 304 stainless, heavy-duty, lever-

			style with escutcheon (keyed)
52	Door knob (lever-type, keyless)	4 sets	Satin stainless finish lever type door handle, 304 stainless, heavy-duty, lever-style with escutcheon (keyless)
53	Door stopper (floor mounted)	6 sets	Door stopper shall be magnetic, floor-mounted and in satin stainless finish.
54	Double cylinder deadbolt lock set	2 sets	Heavy-duty deadbolt, two-cylinder key system
55	Stainless steel door hinges (concealed)	8 pcs	Hinge shall be concealed type and in satin stainless finish
56	Stainless steel door hinges (double-action)	2 pcs	Hinge shall be double action spring loaded type and in satin stainless finish.
57	Stainless steel door hinges (loose pin)	28 pcs	Hinge shall be loose pin type (4 holes) and in satin stainless finish.
58	Soft Close Concealed Hinges	50 pcs	Soft close concealed hinges for cabinets
59	16mm cylindrical hinges	3 pcs	Barrel hinges in cylindrical shape designed for smooth and concealed pivot joints
60	Metal Cabinet Lockset	11 sets	Metal locksets with 2 sets of keys
61	Spring bolt	1 set	Spring loaded bolt shall be push-type and in satin stainless finish.
62	Stainless pull handle	2 pcs	Pull handle shall be in satin stainless finish or white powder coated finish and placed on door frame edge.
63	Cementitious waterproofing compound	3 gals	Acrylic polymer designed for compounding with Portland cement

	Painting Materials		
64	Enamel Paint	4 gals	Quick drying enamel paint (color: white) for metal surfaces; steel grilles and metal doors & jambs
65	Flat Acrylic Paint	4 gals	Two (2) coats of flat finish acrylic latex paint (color: white) for finishing/final coating of ceiling boards
66	Gloss wall enamel	8 gals	Two (2) coats of finish gloss wall enamel (color: white) for finishing/final coating cabinets
67	Flat wall enamel	2 gals	Two (2) coats of finish wall enamel (color: white) for finishing/final coating wooden door & jambs
68	Concrete sealer/primer	9 gals	Water-based primer for masonry and drywall
69	Concrete Neutralizer	5 gals	Neutralizing the surface enhances the bond between the concrete and the paint
70	Wood Primer	15 gals	Acrylic water-based primer for wood surfaces
71	Red Oxide Primer	4 gals	Rust-inhibiting base coat for steel surfaces
72	Semi-gloss Acrylic Paint	7 gals	Two (2) coats of finish Semi-gloss Acrylic paint (color: white) for finishing/final coating drywall partitions
73	Semi-gloss Latex	18 gals	Two (2) coats of finish Semi-gloss latex paint (color: white) for finishing/final coating exterior/interior masonry & concrete surfaces

74	Paint Thinner	21 gals	Used for thinning oil-based paints and cleaning tools
75	Glazing putty	11 gals	Paste for filling gaps, cracks, or nail holes in wood before painting
76	Gypsum putty	39 kgs	Water-based compound for filling gaps, cracks, or nail holes in gypsum boards before painting
77	Patching Compound	11 kgs	Putty used to patch holes and minor surface imperfections up to 1mm on masonry & concrete substrates.
78	Rollers, Assorted	20 pcs	(1"-2") Nylon bristles, wood handle, suitable for latex and oil-based paints
79	Brush, Assorted	20 pcs	(2"-4") Foam or microfiber roller, for smooth application on flat wood & masonry surfaces
80	Putty knife	5 pcs	Stainless steel blade, plastic handle, 2" wide
81	Sandpaper, grit 180	40 pcs	Fine grit, for finish sanding
82	Sandpaper, grit 80	40 pcs	Coarse grit, for initial surface smoothing
83	Masking Tape, 1" x 20m	26 rolls	
84	Tray/Pan	17 pcs	

GLASS WORKS (see ANNEX M for reference) (verify actual measurement)		LOT 2	PhP 417,786.38
1	1800 mm width main entrance glass door Two (2) sets @ 900mm each.	1 unit	6mm thick clear tempered glass panel on 2" x 4" powder coated white aluminum tubular frames (GD-1) including mid-lock, bottom locks and hinges

2	900 mm width frameless glass door	1 unit	12mm thick clear tempered glass door panel on polished steel polished patch fittings (GD-2)
3	12mm thk clear tempered frameless glass	15.43 sq.m	12mm thick clear tempered frameless glass panel (LGP-1, LGP-2, HGP-1 & HG-2)
4	6mm thk clear tempered glass in aluminum frame	40.30 sq.m	6mm thick clear tempered glass panel on 2" x 4" powder coated white aluminum tubular frames (GP-1, GP-2, GP-3, GP-4, GP-5 & GP-6a)
5	12mm thk clear tempered glass in aluminum frame	2.81 sq.m	12mm thick clear tempered glass panel on 2" x 4" powder coated white aluminum tubular frames (GP-6b)
6	Stainless steel door handle - H-type 1500mm long	6 pcs	Door handle shall be 1500mm long, at least 32mm dia, H-type and in polished stainless steel finish.
7	Stainless steel patch fitting locks, connectors and hinges	1 set	<p>Patch fittings shall fit with 6 & 12mm thick glass door panels.</p> <p>Patch fittings complete set shall consist of self-closing floor hinges, patch lock, top patch, bottom patch including "C" clip and stainless steel connectors for glass partitions.</p> <p>Patch fittings shall be in satin stainless steel finish.</p>

SECURITY AND FROSTED FILMS		LOT 3	PhP 59,923.29
1	Frosted film	179.14 sq.ft	Frosted film shall be made of PVC film with frosted design

			and shall look seamless upon installation.
2	Security film	81.16 sq.ft	Security film shall be 8 mils (0.008 inches) thick nominally, clear.

METAL DOORS (see ANNEX N for reference)		LOT 4	PhP 29,490.83
1	Fire rated door (for emergency exit) (MD-1)	1 set	44.5mm thick Fire Rated Standard Steel plate flush hollow core metal door with panic lever device in gray epoxy paint finish Inclusive of peep hole/eye viewer, hinges and door closer
2	GA 16 RHS door jamb	16 m	Galvanized steel, rectangular hollow section, door jamb reinforcement
3	Metal Door door (MD-2)	1set	44.5mm thick Fire Rated Standard Steel plate flush hollow core metal door in gray epoxy paint finish. Inclusive of 4 sets of metal hinges, satin stainless double deadbolt and satin lever type door handle.
4	Metal Door door with louver (MD-3)	1set	44.5mm thick Fire Rated Standard Steel plate flush hollow core metal door in gray epoxy paint finish. Inclusive of 4 sets of metal hinges, satin stainless double deadbolt and satin lever type door handle and metal louver

FINISHES		LOT 5	PhP 259,011.08
1	600mm x 600mm homogenous tiles (color: white)	37 pcs	<p>Tile size: 600mm x 600mm</p> <p>Tiles shall be polished homogenous tiles (full body porcelain tiles) with white finish.</p> <p>Supplier/contractor shall provide samples for DBP approval</p>
2	300mm x 300mm homogeneous tiles (color: gray)	136 pcs	<p>Tile size: 300mm x 300mm</p> <p>Tiles shall be non-skid/slip homogenous tiles (full body porcelain tiles) with gray finish.</p> <p>Supplier/contractor shall provide samples for DBP approval.</p>
3	300mm x 300mm homogeneous tiles (color: beige)	372 pcs	<p>Tile size: 300mm x 300mm</p> <p>Tiles shall be polished homogenous tiles (full body porcelain tiles) with beige finish.</p> <p>Supplier/contractor shall provide samples for DBP approval.</p>
4	1200mm x 200mm wood planks porcelain tiles	12 pcs	<p>Tile size: 1200mm x 200mm</p> <p>Tiles shall be matte finish wood plank porcelain floor tiles (color: pecan wood).</p>

			Supplier/contractor shall provide samples for DBP approval.
5	200m x 200m glazed tiles	54 pcs	<p>Tile size: 200mm x 200mm</p> <p>Tiles shall be glazed floor and tiles (color: white).</p> <p>Supplier/contractor shall provide samples for DBP approval.</p>
6	300m x 300m Mosaic tiles	212 pcs	<p>Tile size: 300mm x 300mm</p> <p>Tiles shall be glazed mosaic wall tiles.</p> <p>Supplier/contractor shall provide samples for DBP approval.</p>
7	300m x 300m vinyl tiles (color: tan)	435 pcs	<p>Tile size: 300mm x 300mm</p> <p>Tiles shall be vinyl floor tiles (color: tan).</p> <p>Supplier/contractor shall provide samples for DBP approval</p>
8	Vinyl tiles glue/ adhesive	183 liters	Water-based, non-flammable adhesive for vinyl tiles
9	20mm thk China Granite	3.36 sq.m	<p>Thickness: 20mm</p> <p>Finish: Agglomerate granite</p> <p>Supplier/contractor shall provide samples for DBP approval.</p>
10	Tile adhesive @ 25kgs / bag	19 bags	High quality for bonding tiles for indoor and outdoor concrete surfaces
11	Tile grout @ 2kgs / bag	12 bags	Materials used to fill the gaps between tiles (color: white)

12	Grout Sealer	7 bottles	Water-based penetrating sealer designed to protect the appearance of cementitious grout
13	5mm x12mm x 2.44m stainless steel tile trim	3 pcs	Tile trim finish shall be L-profile and in satin stainless steel. All tile end edges and door termination shall have tile trim.
14	10mm thick Gypsum Board	17 shts	Materials shall be 10mm thick gypsum board for interior ceiling
15	6mm thick Ficem Board	11 shts	Materials shall be 6mm thick ficem board for exterior ceiling
16	Metal furring	85 pcs	Ceiling framing materials
17	Carrying Channel	28 pcs	Ceiling framing materials
18	Channel Clip	454 pcs	Ceiling framing materials
19	Wall Angle	18 pcs	Ceiling framing materials
20	Hanger Bars/Rods	93 pcs	Ceiling framing materials
21	1" Metal Screw	303 pcs	Ceiling framing materials
22	Rivets	1,061pcs	Ceiling framing materials
23	WPC Fluted Panel	25.92 sq.m	Wood Plastic Composite (WPC) fluted panel (color: pine)

PLUMBING WORKS (design must be same or similar to the photo at DBP standard booklet)		LOT 6	PhP 116,257.05
1	2" PVC pipe (3m per pc)	22 pcs	Pipe size: 50mm dia. Material: PVC Color: orange
2	4" PVC pipe (3m per pc)	6 pcs	Pipe size: 100mm dia. Material: PVC Color: orange
3	45 Elbow 2"	5 pcs	Pipe connections and fittings
4	90 Elbow 2"	5 pcs	Pipe connections and fittings

5	Floor drain with strainer (stainless steel finish) (100mm x 100mm)	7 sets	Pipe connections and fittings
6	P-trap 2"	6 pcs	Pipe connections and fittings
7	Clean out 4"	3 pcs	Pipe connections and fittings
8	Wye 4" x 2"	14 pcs	Pipe connections and fittings
9	Wye 4" x 4"	7 pcs	Pipe connections and fittings
10	20mm Ø PPR cold water line (4m per pc)	11 pcs	Pipe size: 20mm dia. Material: PPR Color: white
11	Coupling, 20mm	10 pcs	Pipe connections and fittings
12	Elbow, 20mm	8 pcs	Pipe connections and fittings
13	Tee, 20mm	12 pcs	Pipe connections and fittings
14	Angle valve, 20mm	8 pcs	Pipe connections and fittings
15	PVC cement	4 cans (100cc)	Pipe connections and fittings
16	Teflon tape	10 rolls	Pipe connections and fittings
17	Stainless steel dome type wall vent (2" diameter)	2 sets	Pipe connections and fittings
18	Grease trap (stainless steel finish)	1 set	Grease trap shall be stainless steel finish. Capacity shall be 8lbs and with 5GPM discharge. Complete set with grease trap interceptor. Outlet shall fit with plumbing pipe.
19	Water closet (tank type, lever type) including other accessories	3 sets	Preferred water closed dimensions: 732mm height x 720mm length x 393mm width or equivalent Water closet shall be tank-type, 6LPF (maximum) with lever-type flush,

			<p>close coupled, elongated and with semi-concealed full glazed trap way.</p> <p>Finish shall be made of fully glazed and polished white ceramic.</p> <p>Water closet shall be equipped with water saving device not exceeding 3LPF All necessary accessories in order to operate the water closet shall be included.</p>
20	Urinal (push-button type) including other accessories	2 sets	<p>Preferred urinal dimensions: 740mm length x 480mm width x 300mm thickness or equivalent</p> <p>Urinal shall be wall-mounted type with back inlet, push button flush, spreader and built-in p-trap.</p> <p>Finish shall be made of fully glazed and polished white ceramic.</p> <p>Urinal lower portion shall be 540mm above finish floor line.</p>
21	Lavatory (wall-mounted type) including p-trap and other accessories	2 sets	<p>Preferred lavatory dimensions: 500mm length x 375mm width x 459mm thickness or equivalent</p> <p>Lavatory shall be wall-mounted type and made of glazed and polished white ceramic finish.</p>

22	Lavatory (under counter type) including p-trap and other accessories	2 sets	<p>Preferred lavatory dimensions: 500mm length x 375mm width x 459mm thickness or equivalent</p> <p>Lavatory shall be surface mounted type and made of glazed and polished white ceramic finish.</p>
23	Kitchen sink (stainless, drain board type including p-trap and	1 set	<p>Sink shall be above counter type and stainless steel finish.</p> <p>Preferably with strainer and deep type.</p> <p>Outlet shall fit with plumbing pipe.</p>
24	Kitchen faucet	1 set	<p>Mounting: above-counter mounted</p> <p>Finish: Satin finish</p> <p>Material: Stainless steel</p> <p>Handle: lever type</p> <p>Spout: gooseneck</p>
25	Lavatory faucet	4 sets	<p>Mounting: above-counter mounted</p> <p>Finish: Satin finish</p> <p>Material: Stainless steel</p> <p>Handle: lever type</p>
26	Wall-mounted faucet (brass finish, lever handle)	1 set	<p>Mounting: wall mounted</p> <p>Finish: brass</p> <p>Handle: lever type</p> <p>Spout: standard</p>
27	Hygienic spray / bidet	3 sets	Finish: Satin finish

			Material: Stainless steel
28	Tissue holder	3 sets	Mounting: wall-mounted (400mm above finish floor line) Finish: stainless steel finish. Type: Manual operated
29	Clothes hook (single, stainless steel finish)	3 sets	Mounting: at the interior back side of the toilet door, height: 1.35m Type: double hook Finish: stainless steel

III. CONDITIONS OF THE CONTRACT:

1. The Supplier shall ensure that the items delivered are in accordance with the specifications required by the DBP. DBP reserves the right to reject delivery if the item/s delivered are found to be defective or do not meet the required specifications/model.
2. DBP may terminate/cancel the Purchase Order (PO)/Notice to Proceed (NTP) when if the Supplier fails to deliver, perform and comply with its obligation.
3. **Delivery Period:** The Supplier shall complete the supply and delivery of various construction materials within **thirty (30) calendar days** after receipt of Purchase Order (PO) / Notice to Proceed (NTP).
4. **Point of Delivery:** Puerto Princesa National Road, Poblacion, Narra, Puerto Princesa, IV-B MIMAROPA.
5. **Warranty:** The warranty period shall be one (1) year from the date of acceptance of the item/s by DBP.

IV. DOCUMENTARY REQUIREMENTS:

Interested Supplier/s must submit the following documents:

- Proposal/Quotation
- Proof PhilGEPS Registration
- 2025 Mayor's/Business Permit
- Omnibus Sworn Statement
- Secretary Certificate (for Supplier under Partnership/Corporation)

SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION MATERIALS
FOR DBP NARRA BRANCH

- Signed Request for Quotation (RFQ)

V. PAYMENT:

ONE-TIME, FULL PAYMENT shall be processed be after completion of the project subject to submission of following complete documents:

- Project Pictures
- Invoice/Billing Statement
- Certificate of Completion/Acceptance (as applicable)

VI. LIQUIDATED DAMAGES:

The supplier, manufacturer, or distributor shall deliver the goods procured within the period as specified in the Contract.

Liquidated damages shall be imposed if any or all of the contracted Goods remain undelivered on the specified date, including the duly granted extensions.

When the supplier, manufacturer, or distributor fails to satisfactorily deliver the goods under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier, manufacturer, or distributor shall be liable for liquidated damages in an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the Procuring Entity. The Procuring Entity need not prove that it has incurred actual damages to be entitled to liquidated damages. Such amount shall be deducted from any money due, or which may become due the supplier, manufacturer, or distributor, or collected from any securities or warranties posted by the supplier, manufacturer, or distributor, whichever is convenient to the Procuring Entity. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.

If delays are likely to be incurred beyond its control, the supplier, manufacturer, or distributor shall promptly notify the Procuring Entity in writing, providing details of the causes and duration of the expected delay. The Procuring Entity may, at its discretion, grant a time extension based on meritorious grounds, with or without the imposition of liquidated damages.

Recommended by:



SM ERICK M. VALIDO

Officer-In-Charge, CFMD-PCMU

Per Office Order No. 325 dated 14 July 2025

Approved by:






SAVP ALBERTO SANTIAGO A. BERMEJO

Officer-In-Charge, CFMD


Per Sector Order No. 513 dated 20 August 2025



ANNEX M





TYPE	6mm THK. CLEAR TEMPERED GLASS PANELS ON 2" x 4" POWDER COATED WHITE ALUMINUM TUBULAR FRAMES	6mm THK. CLEAR TEMPERED GLASS PANELS ON 2" x 4" POWDER COATED WHITE ALUMINUM TUBULAR FRAMES
NO. OF SETS	1 SET	1 SET
LOCATION	LEFT SIDE OF THE BRANCH	FACADE
 		SCHEDULE OF WINDOWS


DBP NARRA BRANCH






TYPE	6mm THK. CLEAR TEMPERED GLASS PANELS ON 2" x 4" POWDER COATED WHITE ALUMINUM TUBULAR FRAMES	6mm THK. CLEAR TEMPERED GLASS PANELS ON 2" x 4" POWDER COATED WHITE ALUMINUM TUBULAR FRAMES
NO. OF SETS	1 SET	1 SET
LOCATION	FACADE	FACADE
 		DBP NARRA BRANCH SCHEDULE OF WINDOWS






TYPE	6mm THK./ 12mm THK CLEAR TEMPERED GLASS PANELS ON 2" x 4" POWDER COATED WHITE ALUMINUM TUBULAR FRAMES WITH WITH 8 MIL CLEAR SECURITY FILM (BOMB BLAST RESISTANT) AND 12mm SQ. BAR SECURITY GRILLES AT INTERIOR SIDE OF ATM ROOM		
NO. OF SETS	1 SET		
LOCATION	FACADE		
 We Build Possibilities.	DBP NARRA BRANCH	SCHEDULE OF WINDOWS	





TYPE	12mm THK. CLEAR TEMPERED FRAMELESS GLASS PANELS LOW PARTITION WITH GLASS TO FLOOR CONNECTORS WITH DECORATIVE FILM STICKER	12mm THK. CLEAR TEMPERED FRAMELESS GLASS PANELS LOW PARTITION WITH GLASS TO FLOOR CONNECTORS WITH DECORATIVE FILM STICKER
NO. OF SETS	1 SET	1 SET
LOCATION	RECEIVING ROOM	CASHIER
<div>   </div> <div>DBP NARRA BRANCH</div> <div>SCHEDULE OF WINDOWS</div>		




TYPE	12mm THK. CLEAR TEMPERED FRAMELESS FIXED GLASS PANELS ON CONCEALED TOP & BOTTOM ALUMINUM "C" CLIP HOLDER WITH DECORATIVE FILM STICKER	12mm THK. CLEAR TEMPERED FRAMELESS FIXED GLASS PANELS ON CONCEALED TOP & BOTTOM ALUMINUM "C" CLIP HOLDER WITH DECORATIVE FILM STICKER
NO. OF SETS	1 SET	1 SET
LOCATION	BRANCH HEAD ROOM	BRANCH HEAD ROOM
<div>   </div> <div>DBP NARRA BRANCH</div> <div>SCHEDULE OF WINDOWS</div>		



TYPE	6mm THK. CLEAR TEMPERED GLASS PANELS ON 2" x 4" POWDER COATED WHITE ALUMINUM TUBULAR FRAMES	12mm THK. CLEAR TEMPERED GLASS DOOR PANEL ON POLISHED STAINLESS STEEL PATCH FITTING LOCKS & HINGES WITH FULL FROSTED FILM
HARDWARES	HINGES : POLISHED STAINLESS STEEL PATCH FITTING LOCK DOOR LOCKS : STAINLESS STEEL PATCH FITTING LOCK DOOR HANDLE : 400mm LONG STAINLESS H-TYPE HANDLE 32mm DIAMETER	HINGES : POLISHED STAINLESS STEEL PATCH FITTING LOCK DOOR LOCKS : POLISHED STAINLESS STEEL PATCH FITTING LOCK DOOR HANDLE : 1500mm LONG STAINLESS HANDLE H-TYPE 32mm DIAMETER
NO. OF SETS	1 SET	1 SET
LOCATION	BRANCH MAIN ENTRANCE	BACK OFFICE ACCESS
<div>   </div> <div>DBP NARRA BRANCH</div> <div>SCHEDULE OF DOORS</div>		

ANNEX N



TYPE	44.5mm THK. FIRE RATED STANDARD STEEL PLATE FLUSH HOLLOW CORE METAL DOOR ON GA. 16 RHS JAMBS WITH PANIC LEVER DEVICE IN GRAY EPOXY PAINT FINISH	44.5mm THK. FIRE RATED STANDARD STEEL PLATE FLUSH HOLLOW CORE METAL DOOR ON GA. 18 RHS JAMBS IN GRAY EPOXY PAINT FINISH	44.5mm THK. FHC METAL DOOR, FRAMING PER MANUFACTURER'S STANDARD, GA. 18 RHS JAMB WITH BOTTOM LOUVER PANEL IN GRAY EPOXY PAINT FINISH
HARDWARES	AS PER MANUFACTURER STANDARD NOTE: PROVIDE PEEP HOLE / EYE VIEWER AND DOOR CLOSER	HINGES : FABRICATED METAL HINGES – PROVIDE 4 SETS DOOR LOCKS : SATIN STAINLESS DOUBLE DEADBOLT AND SATIN STAINLESS FINISH TYPE DOOR HANDLE	HINGES : FABRICATED METAL HINGES – PROVIDE 4 SETS DOOR LOCKS : SATIN STAINLESS DOUBLE DEADBOLT AND SATIN STAINLESS FINISH TYPE DOOR HANDLE
NO. OF SETS	1 SET	1 SET	1 SET
LOCATION	FIRE EXIT	RECORDS ROOM	CLIENT'S / PWD RESTROOM



We Build People's Lives.

DBP NARRA BRANCH

SCHEDULE OF DOORS

Omnibus Sworn Statement Form

[Note: The duly accomplished form shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

OMNIBUS SWORN STATEMENT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and with residence at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. *Select one, delete the others:*

- *If sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;
- *If partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* I am the individual consultant or authorized representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;

2. *Select one, delete the others:*

- *If sole proprietorship:* As the owner and sole proprietor or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]* *[insert "as supported by the attached duly notarized Special Power of Attorney" for authorized representative]*;
- *If partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]*, as supported by the attached duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* As the individual consultant or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]*, as supported by the attached duly notarized Special Power of Attorney *for authorized representative*;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting

rules have been recognized by the Government Procurement Policy Board; by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
6. *Select one, delete the others:*
 - *If sole proprietorship :* The *[Name of Bidder]* and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), or the End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If partnership :* The partnership itself and the partners of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), or the End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If cooperative:* The cooperative itself and members of the board of directors, general manager, or chief executive officer of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), or the End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If corporation, or joint venture:* The corporation or joint venture itself, and officers, directors, controlling stockholders and beneficial owners of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* The individual consultant and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
7. It is understood that failure to faithfully disclose its relationship with the Head of the Procuring Entity, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the end-user unit or implementing unit, and the project consultants of the Procuring Entity, or of the procurement agent by consanguinity or affinity up to the third civil degree, as well as its submission of beneficial

ownership information containing false entries shall be subject to blacklisting under Section 100 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, without prejudice to criminal and civil liabilities under applicable laws, including their accessory penalties, if any.

Select one, delete the rest:

- *In case of corporations: [Name of Bidder] declares its beneficial ownership information consistent with its updated General Information Sheet or Beneficial Ownership Declaration Form or any other document duly submitted to the SEC and has maintained a valid and updated file therein in compliance with Sections 20.2.9.1, 81, and 82 of the IRR of RA No. 12009.*
 - *In case of Foreign Bidders: [Name of Bidder] submitted an appropriate equivalent document in English issued by the country of the bidder concerned in accordance with Section 20.2.9.2 of the IRR of RA No. 12009.*
8. *[Name of Bidder] complies with existing labor laws and standards; and*
9. *[Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:*
- a) *Carefully examine all of the Bidding Documents;*
 - b) *Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;*
 - c) *Made an estimate of the facilities available and needed for the contract to be bid, if any; and*
 - d) *Inquire or secure Supplemental Bid Bulletin(s) issued for the [Project Title].*
10. *[Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.*
11. *In case advance payment was made or given to [Name of Bidder], failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability under existing laws.*

IN WITNESS WHEREOF, I have hereunto set my hand this ____ day of ____, 20__ at _____, Philippines.

Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Affiant's Signature over Printed Name]

[Position/Designation]

[Date]

JURAT

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____.

WITNESS MY HAND AND SEAL this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Notarial Commission No. _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. __, [date issued], [place issued]

IBP No. __, [date issued], [place issued]

Doc. No. _____

Page No. _____

Book No. _____

Series of _____.



DEVELOPMENT BANK OF THE PHILIPPINES

Head Office: Sen. Gil J. Puyat Avenue corner
Makati Avenue, Makati City, Philippines

Terms and Conditions
[Goods and General Support Services]

1. All prices quoted herein are valid, binding and effective for a period of **six (6) months** from the date of the submission of quotations/proposals.
2. All prices quoted herein are inclusive of VAT and cost of delivery and/or installation.
3. All goods and services for delivery and installation shall conform to the approved **Technical Specifications, Terms of Reference, and Scope of Works**, whichever is applicable.
4. **Terms of Payment.** Payment shall be made upon full satisfactory delivery/installation/performance of the project/s and acceptance of the end-user.
5. **Delivery Schedule.** The goods shall be delivered by the supplier on the date indicated at the Purchase Order from the Bank.
6. **Area of Delivery: As stated in the approved Purchase Order/Contract Agreement.**
7. Where the **AWARDEE** fails to effect the delivery within the prescribed period, the Bank may upon its discretion, extend the delivery period subject, however, to the imposition of appropriate liquidated damages, the amount of which shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay, collectible from any money due or maybe due to the supplier/contractor, whichever is convenient to the Bank. Once the cumulative number of liquidated damages reaches ten percent (10%) of the amount of the contract, the DBP may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it. If the **AWARDEE**, however, fails to effect complete delivery within the extended period, the Bank shall have the right to cancel said contract and shall constitute grounds for disqualification of the **AWARDEE** from future biddings, without prejudice to the imposition of other sanctions provided for under Republic Act No. 9184 and its 2016 IRR.
8. Any manufacturing defect shall be corrected by the Supplier.
9. All transactions are subject to withholding of creditable Value Added Tax (VAT), as may be applicable, according to Revenue Regulation No. 10-93.

Conforme:

**Signature over Printed Name of the Supplier's
Authorized Representative/Designation**



(02) 8-818-9511



info@dbp.ph



www.dbp.ph



fb.com/devbankphi