



INVITATION/ REQUEST FOR SUBMISSION OF PRICE QUOTATIONS
(Posted in the PHILGEPS/DBP Website/ Conspicuous Places of the Procuring Entity)

The Development Bank of the Philippines, through the Regional- Bids & Award Committee (RBAC-Eastern Visayas) invites interested parties to submit price quotations for the Repair Works including the installation and/or repair of furniture and fixtures, to wit:

Requesting Branch	Specification/Description	No. of Units	Mode of Procurement	Approved Budget (Php)
Dolores	Procurement of Cash Safe with Time Delay Lock	1	SVP	200,000.00
Tacloban		1		250,000.00
Tagbilaran		3		550,000.00

SPECIFICATIONS

Please refer to the attached Technical Specifications requirement per branch.

Additional Instructions: 1. Sign the Technical Specifications "Conforme" portion.
2. Submit soft and signed copy of the BOQ
3. Submit the signed Data Privacy Consent Form
4. Delivery of the items should be direct to the following addresses:

Branch	Address	Contact Number	Email Address
Dolores	Real St. Cor. San Jose St., Brgy. 10, Dolores, Eastern Samar	09153395998	dolores@dbp.ph
Tacloban	DBP Bldg., Cor. Paterno and Zamora Sts., Tacloban City	09173219455	tacloban@dbp.ph
Tagbilaran	CPG North Avenue, Tagbilaran City, Bohol	09333429646	tagbilaran@dbp.ph

Delivery must be within 30 days.

NOTE: PROPOSAL SHALL INCLUDE THE DELIVERY/INSTALLATION CHARGES AND ALL APPLICABLE TAXES.

The deadline for the submission of price quotations shall be on or before _____ at 3:00 p.m., at the DBP Tacloban Branch, Cor Paterno and Zamora St., Tacloban.

Only price quotations from Filipino citizens or companies duly registered with the Department of Trade and Industry or Securities and Exchange Commission, with current business permits, and PCAB License, and those that are PHILGEPS registered, shall be accepted.

Development Bank of the Philippines reserves the right to reject any and all bids/price quotations, waive any defect in them, and award to the bidder/participant whose bid/price quotation is the most advantageous to the Bank.

signed
SM JONIEL E. SAGDULLAS
Chairperson, RBAC-EV

**DBP STANDARD TECHNICAL SPECIFICATIONS
FOR DOUBLE-DOOR CASH SAFE**

Specifications:

Exterior	: approx. 1.70m (H) x 0.90m (W) x 0.70m(D)
Interior	: approx. 1.50m (H) x 0.80m (W) x 0.65m(D)
Material and Insulation	: steel (Fire Resistant, Cut/Drill Resistant, Water Resistant)
Vault Door	: double-door
Vault Door Thickness	: approx. 0.125m (door plate to back cover)
Inner Door	: steel plate with keylock
Lock	: at least dual lock combination
Adjustable Shelves	: yes, can bear the weight up to 50kg worth of coins
Bolt-work	: multiple live locking bolts and dead bolts
Time Delay Lock	: yes, up to 0 – 99 minutes' programmable time delay
Weight	: approx. 800kg
Other Features	: anchor holes on the back or the bottom of safe can be used to install the safe to the wall or floor by using standard mounting bolts for cash safe : excellent powder coating finish
Manufacturer's Warranty	: at least one (1) year

Capacity of Cash Safe (Cash and Coins):

₱1000 note

1 Bundle = ₱1,000,000

No. of Bundle in Safe = 240 – 300

TOTAL = ₱240 – 300 million

₱200 note

1 Bundle = ₱200,000

No. of Bundle in Safe = 240 – 300

TOTAL = ₱48 – 60 million

₱50 note

1 Bundle = ₱50,000

No. of Bundle in Safe = 240 – 300

TOTAL = ₱12 – 15 million

₱20 coin

1 Bag of coins = ₱20,000

No. of Bag of coins in Safe = 16 – 24

TOTAL = ₱320,000 – 480,000

₱5 coin

1 Bag of coins = ₱7,500

No. of Bag of coins in Safe = 16 – 24

TOTAL = ₱120,000 – 180,000

Mix notes and coins

(₱1000 note) 1 Bundle = ₱1,000,000

(₱20 coin) 1 Bag of coins = ₱20,000

No. of Bundle in Safe = 180

No. of Bag of coins in Safe = 4

TOTAL = ₱180,080,000

₱500 note

1 Bundle = ₱500,000

No. of Bundle in Safe = 240 – 300

TOTAL = ₱120 – 150 million

₱100 note

1 Bundle = ₱100,000

No. of Bundle in Safe = 240 – 300

TOTAL = ₱24 – 30 million

₱20 note

1 Bundle = ₱20,000

No. of Bundle in Safe = 240 – 300

TOTAL = ₱4.8 – 6 million

₱10 coin

1 Bag of coins = ₱12,000

No. of Bag of coins in Safe = 16 – 24

TOTAL = ₱192,000 – 288,000

₱1 coin

1 Bag of coins = ₱2,000

No. of Bag of coins in Safe = 16 – 24

TOTAL = ₱32,000 – 48,000

Mix notes and coins

(₱500 note) 1 Bundle = ₱500,000

(₱20 coin) 1 Bag of coins = ₱20,000

No. of Bundle in Safe = 120

No. of Bag of coins in Safe = 8

TOTAL = ₱60,160,000

**DBP STANDARD TECHNICAL SPECIFICATIONS
FOR SINGLE-DOOR CASH SAFE**

Specifications:

Exterior	: approx. 1.40m (H) x 0.60m (W) x 0.70m(D)
Interior	: approx. 1.20m (H) x 0.50m (W) x 0.5m(D)
Material and Insulation	: steel (Fire Resistant, Cut/Drill Resistant, Water Resistant)
Vault Door	: single-door
Vault Door Thickness	: approx. 0.125m (door plate to back cover)
Inner Door	: steel plate with keylock
Lock	: at least dual lock combination
Adjustable Shelves	: yes, can bear the weight up to 50kg worth of coins
Bolt-work	: multiple live locking bolts and dead bolts
Time Delay Lock	: yes, up to 0 – 99 minutes' programmable time delay
Weight	: approx. 700kg
Other Features	: anchor holes on the back or the bottom of safe can be used to install the safe to the wall or floor by using standard mounting bolts for cash safe
	: excellent powder coating finish
Manufacturer's Warranty	: at least one (1) year

Capacity of Cash Safe (Cash and Coins):

₱1000 note

1 Bundle = ₱1,000,000

No. of Bundle in Safe = 80 – 120

TOTAL = ₱80 – 120 million

₱200 note

1 Bundle = ₱200,000

No. of Bundle in Safe = 80 – 120

TOTAL = ₱16 – 24 million

₱50 note

1 Bundle = ₱50,000

No. of Bundle in Safe = 80 – 120

TOTAL = ₱4 – 6 million

₱20 coin

1 Bag of coins = ₱20,000

No. of Bag of coins in Safe = 8 – 12

TOTAL = ₱160,000 – 240,000

₱5 coin

1 Bag of coins = ₱7,500

No. of Bag of coins in Safe = 8 – 12

TOTAL = ₱60,000 – 90,000

Mix notes and coins

(₱1000 note) 1 Bundle = ₱1,000,000

(₱10 coin) 1 Bag of coins = ₱12,000

No. of Bundle in Safe = 40

No. of Bag of coins in Safe = 4

TOTAL = ₱40,048,000

₱500 note

1 Bundle = ₱500,000

No. of Bundle in Safe = 80 – 120

TOTAL = ₱40 – 60 million

₱100 note

1 Bundle = ₱100,000

No. of Bundle in Safe = 80 – 120

TOTAL = ₱8 – 12 million

₱20 note

1 Bundle = ₱20,000

No. of Bundle in Safe = 80 – 120

TOTAL = ₱1.6 – 2.4 million

₱10 coin

1 Bag of coins = ₱12,000

No. of Bag of coins in Safe = 8 – 12

TOTAL = ₱96,000 – 144,000

₱1 coin

1 Bag of coins = ₱2,000

No. of Bag of coins in Safe = 8 – 12

TOTAL = ₱16,000 – 24,000

Mix notes and coins

(₱500 note) 1 Bundle = ₱500,000

(₱20 coin) 1 Bag of coins = ₱20,000

No. of Bundle in Safe = 20

No. of Bag of coins in Safe = 6

TOTAL = ₱10,120,000

DBP STANDARD TECHNICAL SPECIFICATIONS FOR DOUBLE-DOOR CASH SAFE

Specifications:

Exterior	:	approx. 1.70m (H) x 0.90m (W) x 0.70m(D)
Interior	:	approx. 1.50m (H) x 0.80m (W) x 0.65m(D)
Material and Insulation	:	Steel (Fire Resistant, Cut/Drill Resistant, Water Resistant)
Vault Door	:	double-door
Vault Door Thickness	:	approx. 0.125m (door plate to back cover)
Inner Door	:	steel plate with keylock
Lock	:	at least dual lock combination
Adjustable Shelves	:	yes, can bear the weight up to 50kg worth of coins
Bolt-work	:	multiple live locking bolts and dead bolts
Time Delay Lock	:	yes, up to 0 – 99 minutes' programmable time delay
Weight	:	approx. 800kg
Other Features	:	anchor holes on the back or the bottom of safe can be used to install the safe to the wall or floor by using standard mounting bolts for cash safe
	:	excellent powder coating finish
Manufacturer's Warranty	:	at least one (1) year

Capacity of Cash Safe (Cash and Coins):

P1000 note

1 Bundle = P1,000,000
No. of Bundle in Safe = 240 – 300
TOTAL = P240 – 300 million

P200 note

1 Bundle = P200,000
No. of Bundle in Safe = 240 – 300
TOTAL = P48 – 60 million

P50 note

1 Bundle = P50,000
No. of Bundle in Safe = 240 – 300
TOTAL = P12 – 15 million

P20 coin

1 Bag of coins = P20,000
No. of Bag of coins in Safe = 16 – 24
TOTAL = P320,000 – 480,000

P5 coin

1 Bag of coins = P7,500
No. of Bag of coins in Safe = 16 – 24
TOTAL = P120,000 – 180,000

Mix notes and coins

(P1000 note) 1 Bundle = P1,000,000
(P20 coin) 1 Bag of coins = P20,000
No. of Bundle in Safe = 180
No. of Bag of coins in Safe = 4
TOTAL = P180,080,000

P500 note

1 Bundle = P500,000
No. of Bundle in Safe = 240 – 300
TOTAL = P120 – 150 million

P100 note

1 Bundle = P100,000
No. of Bundle in Safe = 240 – 300
TOTAL = P24 – 30 million

P20 note

1 Bundle = P20,000
No. of Bundle in Safe = 240 – 300
TOTAL = P4.8 – 6 million

P10 coin

1 Bag of coins = P12,000
No. of Bag of coins in Safe = 16 – 24
TOTAL = P192,000 – 288,000

P1 coin

1 Bag of coins = P2,000
No. of Bag of coins in Safe = 16 – 24
TOTAL = P32,000 – 48,000

Mix notes and coins

(P500 note) 1 Bundle = P500,000
(P20 coin) 1 Bag of coins = P20,000
No. of Bundle in Safe = 120
No. of Bag of coins in Safe = 8
TOTAL = P60,160,000



TECHNICAL SPECIFICATION
Cash Safe with Time Delay Lock (Big)

Cash Safe

- Double locking bolts
- Solid steel construction offers perfect burglary protection
- One (1) way locking bolt (20mm diameter)
- Shelf (pc) with one
- Anchor holes on the back or the bottom of safe can be used to install the safe to the wall or floor by using standard mounting bolts for cash safe.
- Excellent powder coating finish
- Complete with Time Delay Lock

Specifications:

Exterior : (H) 72-7/8" x (W) 39-7/8" x (D) 29-3/8"

Interior : (H) 60-1/4" x (W) 33-1/8" x (D) 19-5/8"

Door : 5mm/ Body

Weight : at least 880kg

Technical Specification
Motorized Electronic Safe Locks


- UL listed type and RoHS compliant
- Both locks feature a motor-driven lock bolt which offers a high level of security by eliminating the treat of vibration and bouncing attacks.
- The multiple user modes provides for a management rest code.
- Both models offer one master code, one supervisory code, seven user codes, and one time delay over ride code.
- Multiple user modes – any of the locks can be used to open. Multiple users can also be switched to manager/employee mode, in which the master and supervisory codes toggle the lock on and off for operation by the holders of user codes.
- Dual user mode – the standard multiple user lock can be permanently switched to dual user mode at set-up, before the master code is chanced for the first time. Then the lock can only be opened if two separate codes are entered within one minute of each other.
- This provides the higher level of access code control.

- A penalty time feature is provided to prevent opening by entering sequential or random codes until a valid code is found.
- A delay of up to 99 minutes can be easily set and provides for no time delay override code for cash carrier application.
- The lock offers a duress capability, allowing a distress signal to be sent through the customer's central alarm system in the event of an emergency. An optional duress module is required to use this function.
- Designed for bolt work blocking application that do not require direct attachment of the lock bolt to the safe's bolt work.
- Equipped with bolt position indicator that closes a circuit when the lock bolt is in either the locked or unlocked position.

Note: Request quotation from prospective suppliers for evaluation on your end.

Recommended by:

 signed
JOSEPHINE D. MABULAY
BSO

Approved by  signed

MARISSA LOURDES A. CATUDAY
Branch Head, Dolores Branch
